

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
REQUEST FOR FILING NATIONAL PHASE OF  
PCT APPLICATION UNDER 35 U.S.C. 371 AND 37 CFR 1.494 OR 1.495#5/  
CTo: Hon. Commissioner of Patents  
Washington, D.C. 20231

\*\*

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)Atty Dkt: 46/160  
M# /Client Ref.

From: Manelli Denson &amp; Selter:

Date: December 19, 2001

This is a **REQUEST** for **FILING** a PCT/USA National Phase Application based on:

1. International Application

PCT/JPO00/04136

① country code

2. International Filing Date

23 June 2000  
Day MONTH Year

3. Earliest Priority Date Claimed

24 June 1999  
Day MONTH Year

(use item 2 if no earlier priority)

Measured from the earliest priority date in item 3, this PCT/USA National Phase Application Request is being filed within:

(a) ☐ 20 months from above item 3 date (b) ☒ 30 months from above item 3 date,

(c) Therefore, the due date (unextendable) is 24 December 2001

Title of Invention: HETEROCYCLIC DICARBOXYLIC ACID DIAMIDE DERIVATIVES, AGRICULTURAL AND HORTICULTURAL INSECTICIDES AND METHOD OF USING THE SAMEInventor(s) Takeshi Katsuhira, Takashi Furuya, Makoto Gotoh, Masanori Tohnishi, Hideo Takaishi,  
Kazuyuki Sakata, Masayuki Morimoto and Akira Seo

Applicant herewith submits the following under 35 U.S.C. 371 to effect filing:

7. ☒ Please immediately start national examination procedures (35 U.S.C. 371 (f)).8. ☐ A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is transmitted herewith (file if in English but, if in foreign language, file only if not transmitted to PTO by the International Bureau) including:a. ☐ Request;b. ☐ Abstract;

c. pgs. Spec. and Claims;

d. sheet(s) Drawing which are ☐ informal ☐ formal of size ☐ A4 ☐ 11"9. ☒ A copy of the International Application has been transmitted by the International Bureau.

10. A translation of the International Application into English (35 U.S.C. 371(c)(2))

a. ☒ is transmitted herewith including: (1) ☐ Request; (2) ☒ Abstract;

(3) 189 pgs. Spec. and Claims;

(4) 0 sheet(s) Drawing which are:

☐ informal ☐ formal of size ☐ A4 ☐ 11"b. ☐ is not required, as the application was filed in English.c. ☐ is not herewith, but will be filed when required by the forthcoming PTO Missing Requirements Notice per Rule 494(c) if box 4(a) is X'd or Rule 495(c) if box 4(b) is X'd.d. ☐ Translation verification attached (not required now).

531 Rec'd PCT/PT 19 DEC 2001

11. ☒ **PLEASE AMEND** the specification before its first line by inserting as a separate paragraph:  
a. ☒ -This application is the national phase of international application PCT/JP00/04136 filed 23 June 2000 which designated the U.S.-  
b. ☐ -This application also claims the benefit of U.S. Provisional Application No. 60/\_\_\_\_\_, filed \_\_\_\_\_, -
12. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)), i.e., **before 18th month from first priority date above in item 3, are transmitted herewith (file only if in English) including:**
13. ☒ PCT Article 19 claim amendments (if any) have been transmitted by the International Bureau
14. ☐ Translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)), i.e., **of claim amendments made before 18th month, is attached (required by 20th month from the date in item 3 if box 4(a) above is X'd, or 30th month if box 4(b) is X'd, or else amendments will be considered canceled).**
15. **A declaration of the inventor** (35 U.S.C. 371(c)(4))  
a. ☐ is submitted herewith ☐ Original ☐ Facsimile/Copy  
b. ☒ is not herewith, but will be filed when required by the forthcoming PTO Missing Requirements Notice per Rule 494(c) if box 4(a) is X'd or Rule 495(c) if box 4(b) is X'd.
- An International Search Report (ISR):**  
a. Was prepared by ☐ European Patent Office ☒ Japanese Patent Office ☐ Other  
b. ☒ has been transmitted by the international Bureau to PTO.  
c. ☒ copy herewith (4 pg(s).) ☐ plus Annex of family members (\_\_\_\_ pg(s)).
- International Preliminary Examination Report (IPER):**  
a. ☒ has been transmitted (if this letter is filed after 28 months from date in item 3) in English by the International Bureau with Annexes (if any) in original language.  
b. ☐ copy herewith in English.  
c. ☒ IPER Annex(es) in original language ("Annexes" are amendments made to claims/spec/drawings during Examination) including attached amended:  
Specification/claim pages #\_\_\_\_ claims #1 and 4  
Dwg Sheets #\_\_\_\_  
d. ☒ Translation of Annex(es) to IPER **(required by 30<sup>th</sup> month due date, or else annexed amendments will be considered canceled).**
18. **Information Disclosure Statement** including:  
a. ☒ Attached Form PTO-1449 listing documents  
b. ☒ Attached copies of documents listed on Form PTO-1449  
c. ☒ A concise explanation of relevance of ISR references is given in the ISR.
19. ☐ **Assignment** document and Cover Sheet for recording are attached. Please mail the recorded assignment document back to the person whose signature, name and address appear at the end of this letter.
20. ☐ Copy of Power to IA agent.
21. ☐ **Drawings** (complete only if 8d or 10a(4) not completed): \_\_\_\_ sheet(s) per set: ☐ 1 set informal; ☐ Formal of size ☐ A4 ☐ 11"
22. **Small Entity Status** \* ☒ is **Not** claimed ☐ is claimed (**pre-filing confirmation required**)  
22(a) \_\_\_\_ (No.) Small Entity Statement(s) enclosed (since 9/8/00 Small Entity Statements(s) not essential to make claim)
23. **Priority** is hereby claimed under 35 U.S.C. 119/365 based on the priority claim and the certified copy, both filed in the International Application during the international stage based on the filing in (country) **JAPAN** of:  
Application No. \_\_\_\_\_ Filing Date \_\_\_\_\_ Application No. \_\_\_\_\_ Filing Date \_\_\_\_\_  
(1) JP 11-179035 24 June 1999 (2) \_\_\_\_\_  
(3) \_\_\_\_\_ (4) \_\_\_\_\_  
(5) \_\_\_\_\_ (6) \_\_\_\_\_  
a. ☒ See Form PCT/IB/304 sent to US/DO with copy of priority documents. If copy has not been received, please proceed promptly to obtain same from the IB.  
b. ☒ Copy of Form PCT/IB/304 attached.

531 Rec'd PCT

19 DEC 2001

24. Attached: 1. Form PCT/IB/308  
2. Cover page of published international application WO 00/65914 (contains English Abstract)
25. **Preliminary Amendment:** ATTACHED 1. First Preliminary Amendment (enter prior to fee calculation)  
2. Second Preliminary Amendment

25.5 Per Item 17.c2, **cancel original** pages #\_\_\_\_, claims #\_\_\_\_, Drawing Sheets #\_\_\_\_**26. Calculation of the U.S. National Fee (35 U.S.C. 371 (c)(1)) and other fees is as follows:**Based on amended claim(s) per above item(s) ☐ 12, ☐ 14, ☐ 17, ☒ 25, ☐ 25.5 (hille)

Total Effective Claims	7	minus 20 =	x \$18/\$9	= \$0	966/967
Independent Claims	1	minus 3 =	x \$84/\$42	= \$0	964/965
If any proper (ignore improper)		Multiple Dependent claim is present,	add \$280/\$140	+0	968/969

**BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(4)): →→ BASIC FEE REQUIRED, NOW →→→→**If country code letters in item 1 are **not** "US", "BR", "BB", "TT", "MX", "IL", "NZ", "IN" or "ZA" ↓

See item 16 re: ↓

- |  |                  |         |
|--|------------------|---------|
| 1. Search Report was <u>not</u> prepared by EPO or JPO ----- | add \$1040/\$520 | 960/961 |
| 2. Search Report was prepared by EPO or JPO -----            | add \$890/\$445  | 970/971 |
|  | <b>+890.00</b>   |         |

**SKIP B, C, D AND E UNLESS country code letters in item 1 are "US", "BR", "BB", "TT", "MX", "IL", "NZ", "IN" or "ZA"** ↓

- |  |                  |    |         |
|--|------------------|----|---------|
| → <input type="checkbox"/> B. If USPTO did not issue <u>both</u> International Search Report (ISR) and (if box 4(b) above is X'd) the International Examination Report (IPER), -----             | add \$1040/\$520 | +0 | 960/961 |
| <input type="checkbox"/> C. If USPTO issued ISR but not IPER (or box 4(a) above is X'd), -----   | add \$740/\$370  | +0 | 958/959 |
| <input type="checkbox"/> D. If USPTO issued IPER but IPER Sec. V boxes <u>not</u> all 3 YES, -----   | add \$710/\$355  | +0 | 956/957 |
| → <input type="checkbox"/> E. If international preliminary examination fee was paid to USPTO and Rules 492(a)(4) and 496(b) <u>satisfied</u> (IPER Sec. V all 3 boxes YES for all claims), ----- | add \$100/\$50   | +0 | 962/963 |

27. **SUBTOTAL =** \$890.00
28. If Assignment box 19 above is X'd, add Assignment Recording fee of ----\$40 +0 (581)
29. Attached is a check to cover the ----- **TOTAL FEES** \$890.00

Our Deposit Account No. 50-0687

Our Order No.

C# 46 | 160 M#

\*\*

**CHARGE STATEMENT:** The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 15-18 and 492 (missing of insufficient fee only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown above for which purpose a duplicate copy of this sheet is attached.

**This CHARGE STATEMENT does not authorize charge of the issue fee until/unless an issue fee transmittal form is filed**

**Manelli Denison & Selter**  
2000 M Street N.W., 7<sup>th</sup> Floor  
Washington, DC 20036

By Atty: Paul E. White, Jr.Reg. No. 32,011Sig: Paul E. White, Jr.Fax: 202-887-0336Tel: 202-261-1050Atty/Sec: 1**NOTE:** File in duplicate with 2 postcard receipts (PAT-103) & attachments.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#4/B

In re PATENT APPLICATION of  
KATSUHIRA, et al.

Group Art Unit: Not Assigned

Appln. No.: Not Assigned

Examiner: Not Assigned

Filed: December 3, 2001

International Appln. No. PCT/JP00/04136

Title: HETEROCYCLIC DICARBOXYLIC ACID DIAMIDE DERIVATIVES,  
AGRICULTURAL AND HORTICULTURAL INSECTICIDES AND  
METHOD OF USING THE SAME

\* \* \* \* \*

December 19, 2001

**SECOND PRELIMINARY AMENDMENT:**

**TO BE ENTERED AFTER CALCULATION OF FILING FEE**

Hon. Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

Sir:

Please enter the following Preliminary Amendment of the subject new  
application prior to calculation of the fee for filing the application.

**IN THE SPECIFICATION** (see the attached Appendix for the changes made to effect  
the below amendments to the specification):

**Paragraph at page 157, line 27 to page 158, line 1**

Physical property:

compound No. 1382 m.p. 164–166 . Yield 36%.

compound No. 1414 m.p. 167–169 . Yield 36%.

10010153 011002




Paragraph at page 163 starting at line 12

As a result, the following compounds were found to have a corrected mortality of 90% or more: compound Nos. 13, 18, 32, 54, 55, 57, 127, 136, 230, 242, 258, 464, 484, 512, 524, 737, 785, 794, 795, 804, 805, 821, 989, 990, 1009, 1095, 1110, 1127, 1158, 1189, 1204, 1220, 1221, 1247, 1249, 1251, 1255, 1267, 1269, 1271, 1275, 1303, 1306, 1313, 1320, 1414, 1429, 1473, 1505, 1548 and 1549.

IN THE CLAIMS:

Please amend claim 1 as follows (see the attached Appendix for the changes made to effect the below claim):

1. A heterocyclic dicarboxylic acid diamide derivative represented by the general formula (I):



{wherein  $R^1$ ,  $R^2$  and  $R^3$ , which may be the same or different, are hydrogen atoms,  $(C_3-C_6)$ cycloalkyl groups, halo $(C_3-C_6)$ cycloalkyl groups or  $-A^1-(R^4)_r$  (wherein  $A^1$  is a  $(C_1-C_8)$ alkylene group, a  $(C_3-C_6)$ alkenylene group or a  $(C_3-C_6)$ alkynylene group,  $R^4$ , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; halo $(C_1-C_8)$ alkyl groups;  $(C_3-C_6)$ cycloalkyl groups; halo $(C_3-$

$C_6$ )cycloalkyl groups;  $(C_1-C_6)$ alkoxycarbonyl groups;  $di(C_1-C_6)$ alkoxyphosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different;  $di(C_1-C_6)$ alkoxythiophosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; diphenylphosphino groups; diphenylphosphono groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; or  $-A^2-R^5$  (wherein  $A^2$  is  $-O-$ ,  $-S-$ ,  $-SO-$ ,  $-SO_2-$ ,  $-N(R^6)-$  (wherein  $R^6$  is a hydrogen atom; a  $(C_1-C_6)$ alkylcarbonyl group; a halo $(C_1-C_6)$ alkylcarbonyl group; a  $(C_1-C_6)$ alkoxycarbonyl group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a phenyl $(C_1-C_4)$ alkoxycarbonyl group; a substituted phenyl $(C_1-C_4)$ alkoxycarbonyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-$


$C_6$ )alkyl groups, halo( $C_1-C_6$ )alkyl groups, ( $C_1-C_6$ )alkoxy groups, halo( $C_1-C_6$ )alkoxy groups, ( $C_1-C_6$ )alkylthio groups, halo( $C_1-C_6$ )alkylthio groups, ( $C_1-C_6$ )alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups, ( $C_1-C_6$ )alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups; a ( $C_1-C_6$ )alkylsulfonyl group; or a halo( $C_1-C_6$ )alkylsulfonyl group),  $-C(=O)-$  or  $-C(=NOR^7)-$  (wherein  $R^7$  is a hydrogen atom; a ( $C_1-C_6$ )alkyl group; a halo( $C_1-C_6$ )alkyl group; a ( $C_3-C_6$ )alkenyl group; a halo( $C_3-C_6$ )alkenyl group; a ( $C_3-C_6$ )alkynyl group; a cyclo( $C_3-C_6$ )alkyl group; a phenyl( $C_1-C_4$ )alkyl group; or a substituted phenyl( $C_1-C_4$ )alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1-C_6$ )alkyl groups, halo( $C_1-C_6$ )alkyl groups, ( $C_1-C_6$ )alkoxy groups, halo( $C_1-C_6$ )alkoxy groups, ( $C_1-C_6$ )alkylthio groups, halo( $C_1-C_6$ )alkylthio groups, ( $C_1-C_6$ )alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups, ( $C_1-C_6$ )alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups), and  $R^5$  is a hydrogen atom; a ( $C_1-C_6$ )alkyl group; a halo( $C_1-C_6$ )alkyl group; a ( $C_3-C_6$ )alkenyl group; a halo( $C_3-C_6$ )alkenyl group; a ( $C_3-C_6$ )alkynyl group; a halo( $C_3-C_6$ )alkynyl group; a ( $C_3-C_6$ )cycloalkyl group; a halo( $C_3-C_6$ )cycloalkyl group; a ( $C_1-C_6$ )alkoxy( $C_1-C_6$ )alkyl group; a ( $C_1-C_6$ )alkylthio( $C_1-C_6$ )alkyl group; a formyl group; a ( $C_1-C_6$ )alkylcarbonyl group; a halo( $C_1-C_6$ )alkylcarbonyl group; a ( $C_1-C_6$ )alkoxycarbonyl group; a mono( $C_1-C_6$ )alkylaminocarbonyl group; a di( $C_1-C_6$ )alkylaminocarbonyl group whose ( $C_1-C_6$ )alkyl groups may be the same or different; a mono( $C_1-C_6$ )alkylaminothiocarbonyl group; a di( $C_1-C_6$ )alkylaminothiocarbonyl group whose ( $C_1-C_6$ )alkyl groups may be the same or different; a di( $C_1-C_6$ )alkoxyphosphoryl group whose ( $C_1-C_6$ )alkoxy groups may be the same or different; a di( $C_1-C_6$ )alkoxythiophosphoryl group whose ( $C_1-C_6$ )alkoxy groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are

selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and r is an integer of 1 to 4),

provided that R<sup>1</sup> and R<sup>2</sup> are not hydrogen atoms at the same time,

R<sup>1</sup> and R<sup>2</sup> may form a 4 to 7 membered ring by combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group consisting of oxygen atom, sulfur atom and nitrogen atom,

Het is a heterocyclic group represented by any of the following formulas Q1 to Q22:



(wherein X, which may be the same or different, are halogen atoms; cyano groups; nitro groups; (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> [wherein A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>5</sup>)- (wherein R<sup>5</sup> is as defined above), -C(=O)-, -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>8</sup> is as follows:

(1) when A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -N(R<sup>5</sup>)- (wherein R<sup>5</sup> is as defined above), then R<sup>8</sup> is a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkenyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl

groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>4</sup>-R<sup>9</sup> (wherein A<sup>4</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>9</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>5</sup>-R<sup>10</sup> (wherein A<sup>5</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -C(=O), and R<sup>10</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)),

(2) when A<sup>3</sup> is -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), then R<sup>8</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylamino group; a substituted phenylamino group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups



groups, and

(3) when  $A^3$  is a  $(C_1-C_6)$ alkylene group, a halo $(C_1-C_6)$ alkylene group, a  $(C_2-C_6)$ alkenylene group, a halo $(C_2-C_6)$ alkenylene group, a  $(C_2-C_6)$ alkynylene group or a halo $(C_3-C_6)$ alkynylene group, then  $R^8$  is a hydrogen atom; a halogen atom; a  $(C_3-C_6)$ cycloalkyl group; a halo $(C_3-C_6)$ cycloalkyl group; a  $(C_1-C_6)$ alkoxycarbonyl group; a tri $(C_1-C_6)$ alkylsilyl group whose  $(C_1-C_6)$ alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; or  $-A^6-R^{11}$  (wherein  $A^6$  is  $-O-$ ,  $-S-$ ,  $-SO-$  or  $-SO_2-$ , and  $R^{11}$  is a  $(C_3-C_6)$ cycloalkyl group; a halo $(C_3-C_6)$ cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen

13013-0103

C<sub>6</sub>alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)], and n is an integer of 0 to 3,

X may form a condensed ring by combining together with the adjacent atoms in the heterocyclic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups,

W is O, S or N-R<sup>13</sup> (wherein R<sup>13</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and p and q, which may be the same or different, are integers of 0 to 1),

B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup>, which may be the same or different, are carbon atoms or nitrogen atoms,

Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> (wherein A<sup>3</sup> and R<sup>8</sup> are as defined above), and m is an integer of 1 to 5,

Y may form a condensed ring by combining together with the adjacent carbon atoms in the aromatic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and each of Z<sup>1</sup> and Z<sup>2</sup> is an oxygen atom or a sulfur atom,

provided that:

(1) when Het is Q2, Q6, Q7 or Q9 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the

same time, then Ym is other than 3-chloro-2-methyl group, 3-chloro-2,6-diethyl group, 5-chloro-2-methyl group, 2,6-diethyl group, 4-chloro-2-fluoro group and 2-ethyl-6-methyl group,

(2) when Het is Q4 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 2,5-dichloro group, 2,4-difluoro group, 2,6-difluoro group, 3-chloro-2-methyl group, 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,6-dimethyl group, 2,6-diethyl group, 2-ethyl-6-methyl group, 2-methoxy-5-nitro group, 2-methoxy-5-methyl group, 2,6-diethoxy group, 3-bromo-2-methyl group, 3-fluoro-2-methyl group, 3-iodo-2-methyl group, 3-cyano-2-methyl group, 3-difluoromethoxy-2-methyl group, 5-chloro-2-ethyl group, 2,5-dimethyl group, 2,3-dichloro group, 3-chloro-2,6-diethyl group, 4-trifluoromethyl group, 3-methoxycarbonyl-2-methyl group, 3-trifluoromethyl-2-methyl group, 3,5-dichloro-2,6-diethyl group, 3,4-dichloro group, 3-(methoxycarbonylmethoxy)-2-methyl group, 2-methyl-3-nitro group and 4-trifluoromethoxy group,

(3) when Het is Q9, R<sup>2</sup> and R<sup>3</sup> are hydrogen atoms at the same time, Xn is a 2-phenyl group, R<sup>1</sup> is a n-propyl group or an i-propyl group and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 4-pentafluoroethyl-2-methyl group, and

(4) when Het is Q10 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,5-dimethyl group and 2,6-diethyl group, and

(5) when Het is Q10 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, Xn is other than 5,6-dimethyl group }.

**REMARKS**

This Preliminary Amendment revises claim 1 in accordance with the Amendment under PCT Article 34 that was made in the Japanese language during the international phase of the subject international application.

The specification has been amended as shown above to correct typographical errors that were made in producing the presently filed English translation from the original application filed in Japanese.

No new matter has been added.

Entry of this amendment and favorable consideration of this application are respectfully requested.

Respectfully submitted,

MANELLI DENISON & SELTER, PLLC

By Paul E. White, Jr.

Paul E. White, Jr.  
Reg. No. 32,011  
Tel. No.: (202) 261-1050  
Fax No.: (202) 887-0336

2000 M Street, N.W.  
Seventh Floor  
Washington, D.C. 20036-3307  
(202) 261-1000

**APPENDIX SHOWING REVISIONS OF SPECIFICATION AND CLAIMS**

Proposed Amendments To The Specification Showing Deletions And Insertions

**Paragraph at page 157, line 27 to page 158, line 1**

Physical property:

compound No. [1381] 1382 m.p. 164–166 . Yield 36%.

compound No. [1412] 1414 m.p. 167–169 . Yield 36% .


**Paragraph at page 163 starting at line 12 .**

As a result, the following compounds were found to have a corrected mortality of 90% or more: compound Nos. 13, 18, 32, 54, 55, 57, 127, 136, 230, 242, 258, 464, 484, 512, 524, 737, 785, 794, 795, 804, 805, 821, 989, 990, 1009, 1095, 1110, 1127, 1158, 1189, 1204, 1220, 1221, 1247, 1249, 1251, 1255, 1267, 1269, 1271, 1275, 1303, 1306, 1313, 1320, 1414, 1429, 1473, 1505, 1548 and [1540] 1549.

Proposed Amendments To Claim 1 Showing Deletions And Insertions.

1. A heterocyclic dicarboxylic acid diamide derivative represented by the general formula (I):





{wherein  $R^1$ ,  $R^2$  and  $R^3$ , which may be the same or different, are hydrogen atoms,  $(C_3-C_6)$ cycloalkyl groups, halo $(C_3-C_6)$ cycloalkyl groups or  $-A^1-(R^4)_r$  (wherein  $A^1$  is a  $(C_1-C_6)$ alkylene group, a  $(C_3-C_6)$ alkenylene group or a  $(C_3-C_6)$ alkynylene group,  $R^4$ , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; halo $(C_1-C_6)$ alkyl groups;  $(C_3-C_6)$ cycloalkyl groups; halo $(C_3-C_6)$ cycloalkyl groups;  $(C_1-C_6)$ alkoxycarbonyl groups; di $(C_1-C_6)$ alkoxyphosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; di $(C_1-C_6)$ alkoxythiophosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; diphenylphosphino groups; diphenylphosphono groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; or  $-A^2-R^5$  (wherein  $A^2$  is  $-O-$ ,  $-S-$ ,  $-SO-$ ,  $-SO_2-$ ,  $-N(R^6)-$  (wherein  $R^6$  is a hydrogen atom; a  $(C_1-C_6)$ alkylcarbonyl group; a

halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; or a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group), -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a cyclo(C<sub>3</sub>-C<sub>6</sub>)alkyl group; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and R<sup>5</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a


formyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylaminothiocarbonyl group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylaminothiocarbonyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a di(C<sub>1</sub>-C<sub>6</sub>)alkoxyphosphoryl group whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; a di(C<sub>1</sub>-C<sub>6</sub>)alkoxythiophosphoryl group whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and r is an integer of 1 to 4),

provided that  $R^1$  and  $R^2$  are not hydrogen atoms at the same time,

$R^1$  and  $R^2$  may form a 4 to 7 membered ring by combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group consisting of oxygen atom, sulfur atom and nitrogen atom,

Het is a heterocyclic group represented by any of the following formulas Q1 to Q22:

10018163-041002



(wherein X, which may be the same or different, are halogen atoms; cyano groups; nitro groups; (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> [wherein A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>6</sup>)- (wherein R<sup>6</sup> is as defined above), -C(=O)-, -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>8</sup> is as follows:

(1) when A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -N(R<sup>6</sup>)- (wherein R<sup>6</sup> is as defined above), then R<sup>8</sup> is a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkenyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl

groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>4</sup>-R<sup>9</sup> (wherein A<sup>4</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>9</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>5</sup>-R<sup>10</sup> (wherein A<sup>5</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -C(=O), and R<sup>10</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)),

(2) when A<sup>3</sup> is -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), then R<sup>8</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylamino group; a substituted phenylamino group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups



groups, and

(3) when  $A^3$  is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, then  $R^8$  is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or  $-A^6-R^{11}$  (wherein  $A^6$  is  $-O-$ ,  $-S-$ ,  $-SO-$  or  $-SO_2-$ , and  $R^{11}$  is a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen

atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>7</sup>-R<sup>12</sup> (wherein A<sup>7</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>12</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenoxy group; a substituted phenoxy group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylthio group; a substituted phenylthio group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups.

C<sub>6</sub>alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)], and n is an integer of 0 to 3,

X may form a condensed ring by combining together with the adjacent atoms in the heterocyclic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups,

W is O, S or N-R<sup>13</sup> (wherein R<sup>13</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and p and q, which may be the same or different, are integers of 0 to 1),

B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup>, which may be the same or different, are carbon atoms or nitrogen atoms,

Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-

C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> (wherein A<sup>3</sup> and R<sup>8</sup> are as defined above), and m is an integer of 1 to 5,

Y may form a condensed ring by combining together with the adjacent carbon atoms in the aromatic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and each of Z<sup>1</sup> and Z<sup>2</sup> is an oxygen atom or a sulfur atom,

provided that:

- (1) when Het is Q2, Q6, Q7 or Q9 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the

same time, then Ym is other than 3-chloro-2-methyl group, 3-chloro-2,6-diethyl group, 5-chloro-2-methyl group, 2,6-diethyl group, 4-chloro-2-fluoro group and 2-ethyl-6-methyl group,

(2) when Het is Q4 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 2,5-dichloro group, 2,4-difluoro group, 2,6-difluoro group, 3-chloro-2-methyl group, 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,6-dimethyl group, 2,6-diethyl group, 2-ethyl-6-methyl group, 2-methoxy-5-nitro group, 2-methoxy-5-methyl group, 2,6-diethoxy group, 3-bromo-2-methyl group, 3-fluoro-2-methyl group, 3-iodo-2-methyl group, 3-cyano-2-methyl group, 3-difluoromethoxy-2-methyl group, 5-chloro-2-ethyl group, 2,5-dimethyl group, 2,3-dichloro group, 3-chloro-2,6-diethyl group, 4-trifluoromethyl group, 3-methoxycarbonyl-2-methyl group, 3-trifluoromethyl-2-methyl group, 3,5-dichloro-2,6-diethyl group, 3,4-dichloro group, 3-(methoxycarbonylmethoxy)-2-methyl group, 2-methyl-3-nitro group and 4-trifluoromethoxy group,

(3) when Het is Q9, R<sup>2</sup> and R<sup>3</sup> are hydrogen atoms at the same time, Xn is a 2-phenyl group, R<sup>1</sup> is a n-propyl group or an i-propyl group and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 4-pentafluoroethyl-2-methyl group, and

(4) when Het is Q10 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Ym is other than 5-chloro-2-methyl group, 5-fluoro-2-methyl group [and] 2,5-dimethyl group and 2,6-diethyl group, and

(5) when Het is Q10 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, Xn is other than 5,6-dimethyl group }.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#3/a

In re PATENT APPLICATION of  
KATSUHIRA, et al.

Group Art Unit: Not Assigned

Appln. No.: Not Assigned

Examiner: Not Assigned

Filed: December 3, 2001

International Appln. No. PCT/JP00/04136

Title: HETEROCYCLIC DICARBOXYLIC ACID DIAMIDE DERIVATIVES,  
AGRICULTURAL AND HORTICULTURAL INSECTICIDES AND  
METHOD OF USING THE SAME

\* \* \* \* \*

December 19, 2001

**FIRST PRELIMINARY AMENDMENT: TO BE ENTERED PRIOR  
TO CALCULATION OF FILING FEE**

Hon. Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

Sir:

Please enter the following Preliminary Amendment of the subject new  
application prior to calculation of the fee for filing the application.

**IN THE CLAIMS:**

Please amend claim 6 as follows (see the attached Appendix for the changes  
made to effect the below claim):

Claim 6. (Amended) An agricultural and horticultural insecticide  
characterized by containing a heterocyclic dicarboxylic acid diamide derivative  
according to claim 1 as an active ingredient.

10018463.041002

REMARKS

This Preliminary Amendment revises the multiple dependent claims to be single dependent claims and thus reduce the filing fee for the subject application. No new matter has been added.

Entry of this amendment and favorable consideration of this application are respectfully requested.

Respectfully submitted,

MANELLI DENISON & SELTER, PLLC

By Paul E. White, Jr.

Paul E. White, Jr.  
Reg. No. 32,011  
Tel. No.: (202) 261-1050  
Fax No.: (202) 887-0336

2000 M Street, N.W.  
Seventh Floor  
Washington, D.C. 20036-3307  
(202) 261-1000



**APPENDIX SHOWING REVISIONS OF CLAIMS**

Proposed Amendments To Claim 6 Showing Deletions And Insertions.

Claim 6. (Amended) An agricultural and horticultural insecticide characterized by containing a heterocyclic dicarboxylic acid diamide derivative according to [any one of claims 1 to 5] claim 1 as an active ingredient.

10013463-041002

## DESCRIPTION

HETEROCYCLIC DICARBOXYLIC ACID DIAMIDE DERIVATIVES,  
AGRICULTURAL AND HORTICULTURAL INSECTICIDES AND  
METHOD OF USING THE SAME

## TECHNICAL FIELD

The present invention relates to heterocyclic  
dicarboxylic acid diamide derivatives, agricultural and  
horticultural insecticides containing any of said  
5 compounds as an active ingredient, and their usage.

## BACKGROUND ART

JP-A-6-25190, JP-A-9-323974, WO9944992, JP-A-  
12-7661, JP-A-12-103708 and the like disclose compounds  
constituting a portion of the heterocyclic dicarboxylic  
10 acid diamide derivative of the present invention but do  
not describe or suggest the usefulness of the disclosed  
compounds as agricultural and horticultural  
insecticides at all.


The present inventors earnestly investigated  
15 in order to develop a novel agricultural and  
horticultural insecticide, and consequently found that  
heterocyclic dicarboxylic acid diamide derivatives  
represented by the general formula (I) of the present  
invention are novel compounds not known in any  
20 literature and that not only these compounds but also  
the compounds disclosed in the prior arts can be put to  
a novel use, whereby the present invention has been

10018463-041002

accomplished.

# DISCLOSURE OF THE INVENTION

The present invention relates to heterocyclic dicarboxylic acid diamide derivatives represented by the general formula (I):



(wherein R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup>, which may be the same or different, are hydrogen atoms, (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups, halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups or -A<sup>1</sup>-(R<sup>4</sup>)<sub>r</sub> (wherein A<sup>1</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group or a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group, R<sup>4</sup>, which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; di(C<sub>1</sub>-C<sub>6</sub>)alkoxyphosphoryl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; di(C<sub>1</sub>-C<sub>6</sub>)alkoxythiophosphoryl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; diphenylphosphino groups; diphenylphosphono groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl

- groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl
- 5 groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups,
- 10 halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>2</sup>-R<sup>5</sup> (wherein A<sup>2</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>6</sup>)- (wherein R<sup>6</sup>
- 15 is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more substituents which may be the same or different and are selected
- 20 from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-
- 25 C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group having on the ring one or more substituents which may be the same or different and are selected from halogen

200101002-041002

- atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,
- 5 (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; or a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group), -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a cyclo(C<sub>3</sub>-C<sub>6</sub>)alkyl group; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl
- 10 groups), and R<sup>5</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a formyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylaminocarbonyl group; a di(C<sub>1</sub>-
- 15
- 20
- 25

10018463-041002

- $C_6$ alkylaminocarbonyl group whose  $(C_1-C_6)$ alkyl groups may be the same or different; a mono $(C_1-C_6)$ alkylaminothiocarbonyl group; a di $(C_1-C_6)$ alkylaminothiocarbonyl group whose  $(C_1-C_6)$ alkyl groups may be the same or different;
- 5 a di $(C_1-C_6)$ alkoxyphosphoryl group whose  $(C_1-C_6)$ alkoxy groups may be the same or different; a di $(C_1-C_6)$ alkoxythiophosphoryl group whose  $(C_1-C_6)$ alkoxy groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a phenyl $(C_1-C_4)$ alkyl group; a substituted phenyl $(C_1-C_4)$ alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl

10018463-041002























groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-  
5 C<sub>6</sub>)alkylsulfonyl groups), and r is an integer of 1 to 4),

provided that R<sup>1</sup> and R<sup>2</sup> are not hydrogen atoms at the same time,

R<sup>1</sup> and R<sup>2</sup> may form a 4 to 7 membered ring by  
10 combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group consisting of oxygen atom, sulfur atom and nitrogen atom,

Het is a heterocyclic group represented by  
15 any of the following formulas Q1 to Q22:

10018463 041002





- (wherein X, which may be the same or different, are halogen atoms; cyano groups; nitro groups; (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may
- 5 be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-
- 10 C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the
- 15 same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,
- 20 (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> [wherein A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>6</sup>)- (wherein R<sup>6</sup> is as defined above), -C(=O)-, -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-
- 25 C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>8</sup> is as follows:
- (1) when A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -N(R<sup>6</sup>)- (wherein

10018463 0:1002  
2001059480

- $R^6$  is as defined above), then  $R^8$  is a halo( $C_3$ - $C_6$ )cycloalkyl group; a halo( $C_3$ - $C_6$ )cycloalkenyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different
- 5 and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy groups, halo( $C_1$ - $C_6$ )alkoxy groups, ( $C_1$ - $C_6$ )alkylthio groups, halo( $C_1$ - $C_6$ )alkylthio groups, ( $C_1$ - $C_6$ )alkylsulfinyl groups, halo( $C_1$ - $C_6$ )alkylsulfinyl groups, ( $C_1$ - $C_6$ )alkylsulfonyl
- 10 groups and halo( $C_1$ - $C_6$ )alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy
- 15 groups, halo( $C_1$ - $C_6$ )alkoxy groups, ( $C_1$ - $C_6$ )alkylthio groups, halo( $C_1$ - $C_6$ )alkylthio groups, ( $C_1$ - $C_6$ )alkylsulfinyl groups, halo( $C_1$ - $C_6$ )alkylsulfinyl groups, ( $C_1$ - $C_6$ )alkylsulfonyl groups and halo( $C_1$ - $C_6$ )alkylsulfonyl groups; or  $-A^4-R^9$  (wherein  $A^4$  is a ( $C_1$ - $C_6$ )alkylene group,
- 20 a halo( $C_1$ - $C_6$ )alkylene group, a ( $C_3$ - $C_6$ )alkenylene group, a halo( $C_3$ - $C_6$ )alkenylene group, a ( $C_3$ - $C_6$ )alkynylene group or a halo( $C_3$ - $C_6$ )alkynylene group, and  $R^9$  is a hydrogen atom; a halogen atom; a ( $C_3$ - $C_6$ )cycloalkyl group; a halo( $C_3$ - $C_6$ )cycloalkyl group; a ( $C_1$ - $C_6$ )alkoxycarbonyl group; a
- 25 phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy groups,

halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups,  
halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,  
halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl  
groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>5</sup>-R<sup>10</sup>

- 5 (wherein A<sup>5</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -C(=O), and R<sup>10</sup>  
is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-  
C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-  
C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a  
phenyl group; a substituted phenyl group having one or  
10 more substituents which may be the same or different  
and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl  
groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups,  
halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups,  
halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,  
15 halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl  
groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a  
heterocyclic group; or a substituted heterocyclic group  
having one or more substituents which may be the same  
or different and are selected from halogen atoms, (C<sub>1</sub>-  
20 C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy  
groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio  
groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl  
groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-  
C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl  
25 groups)),

(2) when A<sup>3</sup> is -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as  
defined above), then R<sup>8</sup> is a hydrogen atom; a (C<sub>1</sub>-  
C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-

- (C<sub>6</sub>) alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>) alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>) cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>) cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>) alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>) alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>) alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>) alkylamino group whose
- 5 (C<sub>1</sub>-C<sub>6</sub>) alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>) alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkyl groups, (C<sub>1</sub>-C<sub>6</sub>) alkoxy groups,
- 10 halo(C<sub>1</sub>-C<sub>6</sub>) alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>) alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>) alkylsulfonyl groups; a phenylamino group; a substituted phenylamino group
- 15 having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>) alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkyl groups, (C<sub>1</sub>-C<sub>6</sub>) alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl groups,
- 20 (C<sub>1</sub>-C<sub>6</sub>) alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>) alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected
- 25 from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>) alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkyl groups, (C<sub>1</sub>-C<sub>6</sub>) alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>) alkylsulfinyl

groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and

- (3) when A<sup>3</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, then R<sup>8</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>6</sup>-R<sup>11</sup> (wherein A<sup>6</sup> is -O-, -S-, -SO- or -SO<sub>2</sub>-, and R<sup>11</sup> is a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a

10010463-041002

- substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group
- 10 having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>7</sup>-R<sup>12</sup> (wherein A<sup>7</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or
- 20 a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>12</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are
- 25

10018463-041002

- selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,
- 5 halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenoxy group; a substituted phenoxy group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups,
- 10 halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylthio
- 15 group; a substituted phenylthio group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups,
- 20 halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same
- 25 or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl

10018463-041002

groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups))], and n is an integer of 0 to 3,

- X may form a condensed ring by combining
- 5 together with the adjacent atoms in the heterocyclic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-
  - 10 C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more
  - 15 substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups,
  - 20 halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl
  - 25 groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl

200408463-041002



groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups,

- W is O, S or N-R<sup>13</sup> (wherein R<sup>13</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and p and q, which may be the same or different, are integers of 0 to 1),
- B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup>, which may be the same or different, are carbon atoms or nitrogen atoms,
- Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; halo(C<sub>3</sub>-

$C_6$ )cycloalkyl groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo( $C_1-C_6$ )alkyl groups,  $(C_1-$   
 5  $C_6$ )alkoxy groups, halo( $C_1-C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo( $C_1-C_6$ )alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic  
 10 groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo( $C_1-C_6$ )alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo( $C_1-C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo( $C_1-C_6$ )alkylthio groups,  $(C_1-$   
 15  $C_6$ )alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups; or  $-A^3-R^8$  (wherein  $A^3$  and  $R^8$  are as defined above), and m is an integer of 1 to 5,

Y may form a condensed ring by combining  
 20 together with the adjacent carbon atoms in the aromatic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms;  $(C_1-C_6)$ alkyl groups; halo( $C_1-C_6$ )alkyl groups;  $(C_1-C_6)$ alkoxy groups; halo( $C_1-$   
 25  $C_6$ )alkoxy groups;  $(C_1-C_6)$ alkylthio groups; halo( $C_1-C_6$ )alkylthio groups;  $(C_1-C_6)$ alkylsulfinyl groups; halo( $C_1-C_6$ )alkylsulfinyl groups;  $(C_1-C_6)$ alkylsulfonyl groups; halo( $C_1-C_6$ )alkylsulfonyl groups; phenyl group;

substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and each of Z<sup>1</sup> and Z<sup>2</sup> is an oxygen atom or a sulfur atom,

provided that:

- (1) when Het is Q2, Q6, Q7 or Q9 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Y<sub>m</sub> is other than 3-chloro-2-methyl group, 3-chloro-2,6-diethyl group, 5-chloro-2-methyl group, 2,6-diethyl group, 4-chloro-2-fluoro group and 2-ethyl-6-methyl group,
- (2) when Het is Q4 and B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms at the same time, then Y<sub>m</sub> is other than 2,5-dichloro group, 2,4-difluoro group, 2,6-difluoro group, 3-chloro-2-methyl group, 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,6-dimethyl group, 2,6-diethyl

group, 2-ethyl-6-methyl group, 2-methoxy-5-nitro group,  
 2-methoxy-5-methyl group, 2,6-diethoxy group, 3-bromo-  
 2-methyl group, 3-fluoro-2-methyl group, 3-iodo-2-  
 methyl group, 3-cyano-2-methyl group, 3-  
 5 difluoromethoxy-2-methyl group, 5-chloro-2-ethyl group,  
 2,5-dimethyl group, 2,3-dichloro group, 3-chloro-2,6-  
 diethyl group, 4-trifluoromethyl group, 3-  
 methoxycarbonyl-2-methyl group, 3-trifluoromethyl-2-  
 methyl group, 3,5-dichloro-2,6-diethyl group, 3,4-  
 10 dichloro group, 3-(methoxycarbonylmethoxy)-2-methyl  
 group, 2-methyl-3-nitro group and 4-trifluoromethoxy  
 group,

(3) when Het is Q9,  $R^2$  and  $R^3$  are hydrogen atoms at the  
 same time,  $X_n$  is a 2-phenyl group,  $R^1$  is a n-propyl  
 15 group or an i-propyl group and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are  
 carbon atoms at the same time, then  $Y_m$  is other than 4-  
 pentafluoroethyl-2-methyl group, and

(4) when Het is Q10 and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon  
 atoms at the same time, then  $Y_m$  is other than 5-chloro-  
 20 2-methyl group, 5-fluoro-2-methyl group and 2,5-  
 dimethyl group), agricultural and horticultural  
 insecticides and their usage.

#### MODE FOR CARRYING OUT THE INVENTION

In the definition of the general formula (I)  
 25 for the heterocyclic dicarboxylic acid diamide  
 derivative of the present invention, the term "halogen  
 atom" means a chlorine atom, a bromine atom, an iodine

10018463-041002

atom or a fluorine atom. The term " $(C_1-C_6)$ alkyl" means a linear or branched alkyl group of 1 to 6 carbon atoms, such as methyl, ethyl, n-propyl, i-propyl, n-butyl, i-butyl, s-butyl, t-butyl, n-pentyl, n-hexyl or the like.

- 5 The term "halo( $C_1-C_6$ )alkyl" means a substituted linear or branched alkyl group of 1 to 6 carbon atoms having as the substituent(s) one or more halogen atoms which may be the same or different. The term "halo( $C_3-C_6$ )cycloalkyl" means a substituted alicyclic hydrocarbon
- 10 group of 3 to 6 carbon atoms having as the substituent(s) one or more halogen atoms which may be the same or different. The term " $(C_1-C_8)$ alkylene" means a linear or branched alkylene group of 1 to 8 carbon atoms, such as methylene, ethylene, propylene,
- 15 trimethylene, dimethylmethylene, tetramethylene, isobutylene, dimethylethylene, octamethylene or the like. The term "heterocyclic group" means a heterocyclic group such as pyridyl group, pyridine-N-oxide group, pyrimidinyl group, furyl group,
- 20 tetrahydrofuryl group, thienyl group, tetrahydrothienyl group, tetrahydropyranyl group, tetrahydrothiopyranyl group, oxazolyl group, isoxazolyl group, oxadiazolyl group, thiazolyl group, isothiazolyl group, thiadiazolyl group, imidazolyl group, triazolyl group,
- 25 pyrazolyl group or the like. As to the passage " $R^1$  and  $R^2$  may form a 4 to 7 membered ring by combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group

10018463.041002

consisting of oxygen atom, sulfur atom and nitrogen atom", the 4 to 7 membered ring includes, for example, azetidine ring, pyrrolidine ring, pyrroline ring, piperidine ring, imidazolidine ring, imidazoline ring, 5 oxazolidine ring, thiazolidine ring, isoxazolidine ring, isothiazolidine ring, tetrahydropyridine ring, piperazine ring, morpholine ring, thiomorpholine ring, dioxazine ring, dithiazine ring, indole ring, benzo[b]furan ring, benzo[b]thiophene ring, quinoline 10 ring, isoquinoline ring, naphthyridine ring and quinoxaline ring.

As to the passage "X may form a condensed ring by combining together with the adjacent atoms in the heterocyclic ring", the condensed ring refers to, 15 for example, indole ring, benzo[b]furan ring, benzo[b]thiophene ring, quinoline ring, isoquinoline ring, naphthyridine ring, quinoxaline ring or cinnoline ring.

As to the passage "Y may form a condensed 20 ring by combining together with the adjacent carbon atoms in the aromatic ring", the condensed ring refers to a condensed ring such as naphthalene, tetrahydro-naphthalene, indene, indan, quinoline, quinazoline, chroman, isochroman, indole, indoline, benzodioxane, 25 benzodioxole, benzofuran, dihydrobenzofuran, benzothiophene, dihydrobenzothiophene, benzooxazole, benzothiazole, benzoimidazole, indazole or the like.

The heterocyclic dicarboxylic acid diamide

20040303-041002

derivative of the general formula (I) of the present invention contains an asymmetric carbon atom or an asymmetric center in the structural formula in some cases, and has optical isomers and diastereomers in some cases. The present invention includes all of the individual optical isomers and mixtures containing the optical isomers in any proportions. The heterocyclic dicarboxylic acid diamide derivative of the general formula (I) of the present invention has geometrical isomers due to a carbon-carbon double bond or a carbon-nitrogen double bond in the structural formula in some cases. The present invention includes all of the individual geometrical isomers and mixtures containing the geometrical isomers in any proportions.

Preferable compounds as the heterocyclic dicarboxylic acid diamide derivative of the general formula (I) of the present invention are a group of compounds in which  $R^1$  is a  $(C_1-C_6)$ alkyl group, a  $(C_1-C_6)$ alkylthio $(C_1-C_6)$ alkyl group, a  $(C_1-C_6)$ alkylsulfinyl $(C_1-C_6)$ alkyl group or a  $(C_1-C_6)$ alkyl-sulfonyl $(C_1-C_6)$ alkyl group;  $R^2$  and  $R^3$ , which may be the same or different, are hydrogen atoms or methyl groups; Het is a pyridine ring represented by Q1, Q2, Q3 or Q4; X, which may be the same or different, are halogen atoms, nitro groups, halo $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkoxy groups or halo $(C_1-C_6)$ alkylthio groups; n is an integer of 0 to 2; p is an integer of 0 or 1; all of  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon atoms, or all of  $B^1$ ,  $B^2$  and  $B^4$  are carbon atoms

and B<sup>3</sup> is a nitrogen atom; Y, which may be the same or different, are halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups or halo(C<sub>1</sub>-C<sub>6</sub>)alkoxyhalo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; as to the substitution position of Y and the number m of substituents Y, the substitution is di-substitution at the 2- and 3-positions or the 2- and 4-positions in relation to the binding position of the amide group, or tri-substitution at the 2-, 3- and 4-positions or the 2-, 4- and 5-positions in relation to the binding position of the amide group; and each of Z<sup>1</sup> and Z<sup>2</sup> is an oxygen atom.

A group of more preferable compounds are compounds in which R<sup>1</sup> is an i-propyl group, a t-butyl group, a methylthio(C<sub>3</sub>-C<sub>4</sub>)alkyl group, a methylsulfinyl(C<sub>3</sub>-C<sub>4</sub>)alkyl group or a methylsulfonyl(C<sub>3</sub>-C<sub>4</sub>)alkyl group; each of R<sup>2</sup> and R<sup>3</sup> is a hydrogen atom; Het is a pyridine ring represented by Q1, Q2, Q3 or Q4; X is halogen atom; n is an integer of 0 to 1; p is an integer of 0 or 1; all of B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup> are carbon atoms; Y, which may be the same or different, are chlorine atoms, methyl groups, trifluoromethyl groups, pentafluoroethyl groups, heptafluoropropyl groups, heptafluoroisopropyl groups, trifluoromethoxy groups or 1-trifluoromethyl-2,2,2-trifluoroethoxy groups; as to the substitution position of Y and the number m of substituents Y, the substitution is di-substitution at the 2- and 4-positions in relation to the binding




position of the amide group; and each of  $Z^1$  and  $Z^2$  is an oxygen atom.

The heterocyclic dicarboxylic acid diamide derivative of the general formula (I) of the present invention can be produced, for example, by any of the production processes schematically shown below.

2024-09-03 04:00Z

## Production process 1.



wherein  $R^1$ ,  $R^2$ , Het,  $B^1$ ,  $B^2$ ,  $B^3$ ,  $B^4$ , X, Y, m and n are as defined above, hal is a halogen atom, and R is a ( $C_1$ - $C_3$ )alkyl group.

- A heterocyclic dicarboxylic acid diamide
- 5 derivative of the general formula (I-1) can be produced by hydrolyzing a diester of the general formula (VIII) in the presence of an acid or an alkali to obtain a dicarboxylic acid of the general formula (VII), converting said dicarboxylic acid to an acid anhydride
- 10 (VI) in the presence of a dehydrating agent, reacting the acid anhydride (VI) with a substituted aromatic amine of the general formula (V) in the presence or absence of an inert solvent to obtain amides of the general formulas (IV-1) and (IV-2), reacting said
- 15 amides with a dehydrating agent in the presence or absence of an inert solvent after or without isolating the amides, to obtain an imide of the general formula (III), and then reacting said imide with an amine or its salt of the general formula (II-1) or the general
- 20 formula (II-2), respectively, in the presence or absence of an inert solvent after or without isolating the imide.

(1-1). General formula (VIII)  $\rightarrow$  general formula (VII)

- As an inert solvent usable in this reaction,
- 25 there can be used, for example, water, alcohols (e.g. methanol, ethanol and propanol) as water-soluble solvents, and mixed solvents of water and water-soluble

solvents.

As the base used for the hydrolysis, hydroxides of alkali metals, such as sodium hydroxide, potassium hydroxide and the like can be used. As to the amount of the base used, the base may be used in an amount properly chosen in the range of 2 to 10 equivalents per equivalent of the diester of the general formula (VIII). As the acid, there can be used, for example, inorganic acids such as hydrochloric acid, sulfuric acid, etc.; and organic acids such as trifluoroacetic acid, etc. The amount of the acid used may be a catalytic amount relative to the diester of the general formula (VIII) and ranges from 0.001 to 0.1 equivalent per equivalent of the diester.

As to the reaction temperature, the reaction can be carried out at room temperature or while refluxing the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, the reaction may be carried out for a time properly chosen in the range of several minutes to 48 hours.

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by a recrystallization method, a distillation method, a column chromatographic method, etc., whereby the desired compound can be produced.

It is also possible to subject the desired compound to the subsequent reaction without isolation after completion of the reaction.

(1-2). General formula (VII)  $\rightarrow$  general formula (VI)

- 5 As an inert solvent usable in this reaction, any inert solvent may be used so long as it does not markedly inhibit the progress of the reaction. There can be used, for example, halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, 10 etc.; aromatic hydrocarbons such as benzene, toluene, xylene, chlorobenzene, etc.; acyclic or cyclic ethers such as Methyl Cellosolves, diethyl ether, diisopropyl ether, dioxane, tetrahydrofuran, etc.; and organic acids such as acetic acid, trifluoroacetic acid, etc. 15 These inert solvents may be used singly or as a mixture thereof.

The dehydrating agent may be used in excess to serve also as the inert solvent.

- As the dehydrating agent, there can be used 20 dehydrating agents such as acetic anhydride, trifluoroacetic anhydride, etc. As to the amount of these dehydrating agents used, they may be used in an amount properly chosen in the range of 1 mole to excess moles per mole of the compound of the general formula 25 (VII), and they are preferably used in an amount equimolar with the amount of the compound of the general formula (VII).

100-10453-041002

The reaction temperature may be properly chosen in the range of room temperature to the boiling point of the inert solvent used. When no inert solvent is used, it is sufficient that the reaction is carried out below the boiling point of the dehydrating agent used.

Although the reaction time is varied depending on the reaction temperature, the scale of reaction, and the like, the reaction may be carried out in the range of several minutes to 48 hours.

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by a recrystallization method, a distillation method, a column chromatographic method, etc., whereby the desired compound can be produced.

It is also possible to subject the desired compound to the subsequent reaction without isolation after completion of the reaction.

(1-3). General formula (VI)  $\rightarrow$  general formula (IV-1) + general formula (IV-2)

As the inert solvent usable in this reaction, any inert solvent may be used so long as it does not markedly inhibit the progress of the reaction. There can be exemplified inert solvent including aromatic hydrocarbons such as benzene, toluene, xylene, etc.;

halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, chlorobenzene, dichlorobenzene, etc.; acyclic or cyclic ethers such as diethyl ether, dioxane, tetrahydrofuran, etc.; esters such as ethyl acetate, etc.; amides such as dimethylformamide, dimethylacetamide, etc.; acids such as acetic acid, etc.; dimethyl sulfoxide; 1,3-dimethyl-2-imidazolidinone; and water. These inert solvents may be used singly or as a mixture of two or more thereof.

10           Since the reaction is an equimolar reaction, it is sufficient that the reactants are used in equimolar amounts, though either of them may be used in excess. If necessary, the reaction may be carried out under dehydrating conditions.

15           As to the reaction temperature, the reaction can be carried out at room temperature or while refluxing the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, the  
20 reaction may be carried out for a time properly chosen in the range of several minutes to 48 hours.

          After completion of the reaction, the desired compounds are isolated from the reaction system containing the desired compounds by a conventional  
25 method, and if necessary, purified by a recrystallization method, a distillation method, a column chromatographic method, etc., whereby the desired compounds can be produced.

It is also possible to subject the desired compounds to the subsequent reaction without isolation after completion of the reaction.

(1-4). General formula (IV-1) + general formula (IV-2)  
5 → general formula (III)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in (1-2).

It is also possible to subject the desired  
10 compounds to the subsequent reaction without isolation after completion of the reaction.

(1-5). General formula (III) → general formula (I-1)

As the inert solvent usable in this reaction, pyridines can be used besides, for example, the inert  
15 solvents exemplified in (1-2).

Since the reaction is an equimolar reaction, it is sufficient that the amine of the general formula (II-1) or the amine salt of the general formula (II-2) is used in an amount equimolar with the amount of the  
20 imide of the general formula (III), though the amine or the amine salt may be used in excess.

When the amine salt of the general formula (II-2) is used in the reaction, a base is necessary in order to produce free amine in the reaction system. As  
25 the base, an inorganic base or an organic base can be used. The inorganic base includes, for example,



hydroxides and carbonates of alkali metals, such as sodium hydroxide, potassium hydroxide, sodium carbonate and potassium carbonate. The organic base includes, for example, triethylamine, pyridine, 4-(dimethyl-  
5 amino)pyridine and 1,8-diazabicyclo[5.4.0]-7-undecene. As to the amount of these bases used, they may be used in an amount properly chosen in the range of 1 mole to excess moles per mole of the amine salt of the general formula (II-2).

10           The reaction temperature may be properly chosen in the range of  $-10^{\circ}\text{C}$  to the boiling point of the inert solvent used, and the reaction is preferably carried out in the range of  $0^{\circ}\text{C}$  to  $150^{\circ}\text{C}$ .


          Although the reaction time is varied  
15 depending on the reaction temperature, the scale of reaction, and the like, the reaction may be carried out in the range of several minutes to 48 hours.

          After completion of the reaction, the desired compound is isolated from the reaction system  
20 containing the desired compound by a conventional method, and if necessary, purified by a recrystallization method, a distillation method, a column-chromatographic method, etc., whereby the desired compound can be produced.

25           The compound of the general formula (VIII), i.e., the starting material in the reaction can be produced according to a well-known process, for example, the processes described in, for instance, J.

- Am. Chem. Soc., 63, 1762 (1941), J. Heterocyclic Chem., 21, 1431 (1984), J. Indian Chem. Soc., 1982, 1372, J. Org. Chem., 14, 723 (1949), Heterocycles, 27, 1489 (1988), J. Am. Chem. Soc., 78, 2220 (1956), J. Prakt. Chem., 311, 807 (1969), Tetrahedron, 36, 1801 (1980), JP-A-6-122684, U.S. Patent 3,414,580, ditto 3,686,171, J. Med. Chem., 27, 1396 (1984), J. Heterocyclic Chem., 12, 1303 (1975), ditto 15, 1477 (1978), ditto 16, 1141 (1979), ditto 17, 443 (1982), ditto 21, 689 (1984),
- 10 Beil., 25III, 2028, JP-A-52-77086, J. Am. Chem. Soc., 81, 2456 (1956), J. Org. Chem., 37, 3224 (1972), JP-A-62-175480, JP-A-62-230782, JP-A-60-69083, JP-A-60-185783, JP-A-61-109790, JP-A-62-277385, JP-A-63-295575, JP-A-63-99067, JP-A-64-75474, JP-A-64-90118, Yakugaku
- 15 Zasshi, 84, 416 (1964), Chem. and Pharm. Bull., 5, 277 (1957), Chem. Research (S), 1989, 196, Chem. Pharm. Bull., 20, (7), 1513 (1972), J. Heterocyclic Chem., 27, 579 (1990), Tetrahedron, 53 (42), 14497 (1997), ditto 41 (7), 1199 (1985), Chem. Ber., 107, 3036 (1974), J.
- 20 Heterocyclic Chem., 23, 1103 (1986), ditto 5, 125 (1968), J. Org. Chem., 26, 468 (1961), etc.

## Production process 2.



wherein R<sup>1</sup>, R<sup>2</sup>, Het, B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup>, B<sup>4</sup>, X, Y, hal, m and n are as defined above, and X' is a halogen atom or a nitro group, provided that X is other than hydrogen atom and nitro group.

- 5 A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) can be produced by reacting a heterocyclic dicarboxylic acid imide derivative of the general formula (III-1) with a reactant corresponding to X, in the presence of an
- 10 inert solvent to obtain a heterocyclic dicarboxylic acid imide derivative of the general formula (III), and reacting said heterocyclic dicarboxylic acid imide derivative (III) with an amine or its salt of the general formula (II-1) or the general formula (II-2),

respectively, after or without isolating the derivative (III).

(2-1). General formula (III-1) → general formula (III)


In the case of this reaction, the production  
5 can be carried out according to the process described  
in J. Org. Chem., 42, 3415 (1977), Tetrahedron, 25,  
5921 (1969), Synthesis, 1984, 667, Chem. Lett., 1973,  
471, J. Org. Chem., 39, 3318 (1974), ditto 39, 3327  
(1974), etc.

10 (2-2). General formula (III) → general formula (I-1)

In the case of this reaction, the production  
can be carried out according to production process (1-  
5).

10018463 011002

## Production process 3.



wherein  $R^1$ ,  $R^2$ , Het,  $B^1$ ,  $B^2$ ,  $B^3$ ,  $B^4$ , X, Y, hal, m and n are as defined above.

A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) can be produced by reacting a heterocyclic dicarboxylic acid anhydride derivative of the general formula (VI-1) with an aromatic amine of the general formula (V) in the presence of an inert solvent to obtain amides of the

general formulas (IV-1') and (IV-2'), reacting said amides with a dehydrating agent in the presence or absence of an inert solvent after or without isolating the amides, to obtain a heterocyclic dicarboxylic acid imide derivative of the general formula (III-2), subjecting said heterocyclic dicarboxylic acid imide derivative (III-2) to catalytic reduction with hydrogen after or without isolation to obtain a heterocyclic dicarboxylic acid imide derivative of the general formula (III-3), diazotizing said heterocyclic dicarboxylic acid imide derivative (III-3) after or without isolation, adding a metal salt thereto to obtain a heterocyclic dicarboxylic acid imide derivative of the general formula (III), and then reacting said heterocyclic dicarboxylic acid imide derivative (III) with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, after or without isolating the derivative (III).

(3-1). General formula (VI-1)  $\rightarrow$  general formula (IV-1') + general formula (IV-2')

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-3).

(3-2). General formula (IV-1') + general formula (IV-2')  $\rightarrow$  general formula (III-2)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-4).

(3-3). General formula (III-2)  $\rightarrow$  general formula (III-3)

As an inert solvent usable in this reaction, any inert solvent may be used so long as it does not markedly inhibit the progress of the reaction. There can be exemplified alcohols such as methanol, ethanol, propanol, etc.; acyclic or cyclic ethers such as diethyl ether, dioxane, tetrahydrofuran, etc.; and acids such as acetic acid, etc. These inert solvents may be used singly or as a mixture of two or more thereof.

As a catalyst for the catalytic reduction used in the reaction, there can be exemplified palladium-carbon, Raney nickel, palladium black and platinum black. As to the amount of the catalyst used, the catalyst may be used in an amount properly chosen in the range of 0.1 to 10 wt% based on the weight of the heterocyclic dicarboxylic acid imide derivative of the general formula (III-2). The reaction is carried out under a hydrogen atmosphere, and the reaction may be carried out at a hydrogen pressure properly chosen in the range of 1 to 10 atmospheric pressure.

As to the reaction temperature, the reaction may be carried out at room temperature to the reflux

10013463-041002

temperature of the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it may be properly chosen in the range of several minutes to 5 48 hours.

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystallization, column chromatography, etc., whereby the desired compound can be produced. It is also possible to subject the desired compound to the subsequent reaction without isolation from the reaction system.

(3-4). General formula (III-3)  $\rightarrow$  general formula (III)  
15 As an inert solvent used in this reaction, acidic solvents can be used. There can be exemplified an aqueous hydrochloric acid solution, an aqueous hydrobromic acid solution, an aqueous hydroiodic acid solution, an aqueous sulfuric acid solution, acetic 20 acid and trifluoroacetic acid. These acidic solvents may be used singly or as a mixture of two or more thereof. In addition, these acidic solvents may be used in admixture with ethers such as tetrahydrofuran, dioxane, etc.

25 As a diazotizing agent, there can be exemplified diazotizing agents such as sodium nitrite, nitrosyl hydrogensulfate, alkyl nitrites, etc. As to



the amount of these diazotizing agents used, the reaction may be carried out by properly choosing the amount in the range of an amount equal to that of the heterocyclic dicarboxylic acid imide derivative of the general formula (III-3) to an excess amount over this derivative.

As to the reaction temperature, the reaction may be carried out at  $-50^{\circ}\text{C}$  to room temperature or at the reflux temperature of the inert solvent used.

Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it may be properly chosen in the range of several minutes to 48 hours.

As the metal salt added after the production of the diazonium salt, there can be used metal salts such as cuprous chloride, cuprous bromide, potassium iodide, copper cyanide, potassium xanthate, mercaptan sodium, etc. As to the amount of the metal salt used, the reaction may be carried out by properly choosing the amount in the range of 1 equivalent to excess equivalents per equivalent of the heterocyclic dicarboxylic acid imide derivative of the general formula (III-3).

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystallization, column chromatography, etc., whereby the


desired compound can be produced. It is also possible to subject the desired compound to the subsequent reaction without isolation from the reaction system.

In the case of the reaction, the production 5 can be carried out according to the process described in Org. Synth., IV, 160 (1963), ditto III, 809 (1959), J. Am. Chem. Soc., 92, 3520 (1970), etc.

(3-5). General formula (III)  $\rightarrow$  general formula (I-1)

In the case of this reaction, the desired 10 compound can be produced in a manner similar to that described in production process (1-5).

Production process 4.



wherein  $R^1$ ,  $R^2$ , Het,  $B^1$ ,  $B^2$ ,  $B^3$ ,  $B^4$ , X, Y, hal, m and n are as defined above.

A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) can be produced  
5 by reacting a heterocyclic dicarboxylic acid imide derivative of the general formula (III-2) with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, in the presence of an inert solvent to obtain a heterocyclic  
10 dicarboxylic acid diamide derivative of the general formula (I-3), subjecting said heterocyclic dicarboxylic acid diamide derivative (I-3) to catalytic reduction with hydrogen after or without isolation to obtain a heterocyclic dicarboxylic acid diamide  
15 derivative of the general formula (I-2), diazotizing said heterocyclic dicarboxylic acid diamide derivative (I-2) after or without isolation, and then adding a metal salt thereto.

(4-1). General formula (III-2)  $\rightarrow$  general formula (I-3)

20 In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-5).


(4-2). General formula (I-3)  $\rightarrow$  general formula (I-2)

25 In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (3-3).

(4-3). General formula (I-2)  $\rightarrow$  general formula (I-1)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (3-4).

## 5 Production process 5.



wherein  $R^1$ ,  $R^2$ ,  $R^3$ , Het,  $B^1$ ,  $B^2$ ,  $B^3$ ,  $B^4$ , X, Y, m and n are as defined above.

A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-5) or the general formula (I-4) can be produced by reacting a heterocyclic dicarboxylic acid anhydride of the general formula (VI) with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, in the presence of an inert solvent to obtain a heterocyclic dicarboxylic acid amide of the general formula (IV-3), and treating said heterocyclic dicarboxylic acid amide after or without isolation as follows: when its  $R^2$  is a hydrogen atom, the heterocyclic dicarboxylic acid amide (IV-3) is subjected to condensation reaction in the presence of a condensing agent to obtain a compound of the general formula (IX), and said compound (IX) is reacted with an aromatic amine of the general formula (V-1) in the presence of an inert solvent after or without isolating the compound (IX); or when its  $R^2$  is other than a hydrogen atom, the heterocyclic dicarboxylic acid amide (IV-3) is condensed with an aromatic amine of the general formula (V-1) in the presence of a condensing agent.

Alternatively, a heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) or the general formula (I-4) can be produced by reacting a heterocyclic dicarboxylic acid anhydride of the general

10016463.041002

formula (VI) with an aromatic amine of the general formula (V-1) in the presence of an inert solvent to obtain a heterocyclic dicarboxylic acid amide of the general formula (IV-4), and treating said heterocyclic dicarboxylic acid amide (IV-4) after or without isolation as follows: when its  $R^3$  is a hydrogen atom, the heterocyclic dicarboxylic acid amide (IV-4) is subjected to condensation reaction in the presence of a condensing agent to obtain a compound of the general formula (IX-1), and said compound (IX-1) is reacted with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, in the presence of an inert solvent after or without isolating the compound (IX-1); or when its  $R^3$  is other than a hydrogen atom, the heterocyclic dicarboxylic acid amide (IV-4) is condensed with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, in the presence of a condensing agent.

(5-1). General formula (VI)  $\rightarrow$  general formula (IV-3) or general formula (IV-4)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-3).

(5-2). General formula (IV-3)  $\rightarrow$  general formula (IX) or general formula (IV-4)  $\rightarrow$  general formula (IX-1)

In the case of this reaction, the desired

compound can be produced according to the process described in J. Med. Chem., 10, 982 (1967).

(5-3). General formula (IV-3) or general formula (IV-4) → general formula (I-4)

5           The production can be carried out by reacting a heterocyclic dicarboxylic acid amide derivative of the general formula (IV-3) or the general formula (IV-4) with an amine of the general formula (II-1) or (II-2) or the general formula (V-1) in the presence of a  
10   condensing agent and an inert solvent. It is also possible to carry out the reaction in the presence of a base if necessary.

          The inert solvent used in the reaction includes, for example, tetrahydrofuran, diethyl ether,  
15   dioxane, chloroform and dichloromethane. As the condensing agent used in the reaction, any condensing agent may be used so long as it is used in conventional amide synthesis. The condensing agent includes, for example, Mukaiyama reagent (2-chloro-N-methyl-  
20   pyridinium iodide), DCC (1,3-dicyclohexylcarbodiimide), CDI (carbonyl diimidazole) and DEPC (diethyl cyanophosphonate). As to the amount of the condensing agent used, the condensing agent may be used in an amount properly chosen in the range of 1 mole to excess  
25   moles per mole of the heterocyclic dicarboxylic acid amide derivative of the general formula (IV-3) or the general formula (IV-4).

10018453-041002

The base usable in the reaction includes, for example, organic bases such as triethylamine, pyridine, etc.; and inorganic bases such as potassium carbonate.

As to the amount of the base used, the base may be used in an amount properly chosen in the range of 1 mole to excess moles per mole of the heterocyclic dicarboxylic acid amide derivative of the general formula (IV-3) or the general formula (IV-4).

As to the reaction temperature, the reaction may be carried out at 0°C to the boiling point of the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it ranges from several minutes to 48 hours.


After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystallization, column chromatography, etc., whereby the desired compound can be produced.

(5-4). General formula (IX) → general formula (I-5) or  
general formula (IX-1) → general formula (I-1)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-5).



## Production process 6.



wherein R, R<sup>1</sup>, R<sup>2</sup>, Het, B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup>, B<sup>4</sup>, X, Y, hal, m and n are as defined above.

- A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) can be produced by halogenating a heterocyclic dicarboxylic acid ester derivative of the general formula (X) in the presence or absence of an inert solvent to obtain a heterocyclic dicarboxylic acid halide of the general formula (XI), reacting said heterocyclic dicarboxylic acid halide (XI) with an aromatic amine of the general formula (V) in the presence of an inert solvent and a base after or

- without isolating the halide (XI), to obtain a heterocyclic dicarboxylic acid amide of the general formula (IV-3), hydrolyzing said heterocyclic dicarboxylic acid amide (IV-3) in the presence or
- 5 absence of an inert solvent after or without isolating the amide (IV-3), to obtain a heterocyclic dicarboxylic acid amide of the general formula (IV-1), subjecting said heterocyclic dicarboxylic acid amide (IV-1) to condensation reaction after or without isolation to
- 10 obtain a heterocyclic dicarboxylic acid isoimide derivative of the general formula (IX-1), reacting said heterocyclic dicarboxylic acid isoimide derivative (IX-1) with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively.
- 15 (6-1). General formula (X)  $\rightarrow$  general formula (XI)

As the inert solvent usable in this reaction, any inert solvent may be used so long as it does not markedly inhibit the progress of the reaction. There can be exemplified inert solvents including aromatic

20 hydrocarbons such as benzene, toluene, xylene, etc.; halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, etc.; chlorinated aromatic hydrocarbons such as chlorobenzene, dichlorobenzene, etc.; acyclic or cyclic ethers such as

25 diethyl ether, dioxane, tetrahydrofuran, etc.; and esters such as ethyl acetate, etc. These inert solvents may be used singly or as a mixture of two or

more thereof.

As a halogenating agent, there can be used halogenating agents such as thionyl chloride, phosphorus oxychloride, phosphorus trichloride, etc.

- 5 As to the amount of the halogenating agent used, the halogenating agent may be used in an amount properly chosen in the range of 1 to 10 equivalents per equivalent of the heterocyclic dicarboxylic acid ester derivative of the general formula (X).

- 10 As to the reaction temperature, the reaction may be carried out at 0°C to the reflux temperature of the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it may be properly chosen in  
15 the range of several minutes to 48 hours.

- After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystal-  
20 lization, column chromatography, etc., whereby the desired compound can be produced. It is also possible to subject the desired compound to the subsequent reaction without isolation from the reaction system.

(6-2). General formula (XI)  $\rightarrow$  general formula (IV-3)

- 25 As the inert solvent usable in this reaction, there can be used, for example, the inert solvents exemplified in production process (1-3).

As the base, an inorganic base or an organic base can be used. As the inorganic base, there can be used, for example, hydroxides of alkali metals, such as sodium hydroxide, potassium hydroxide, etc. As the organic base, organic bases such as triethylamine, pyridine and the like can be used. As to the amount of the base used, the base may be used in an amount properly chosen in the range of 0.5 to 3 equivalents per equivalent of the heterocyclic dicarboxylic acid halide of the general formula (XI).

Since the reaction is an equimolar reaction, it is sufficient that the reactants are used in equimolar amounts, though the reaction may be carried out by properly choosing the amount of the aromatic amine of the general formula (V) in the range of 0.5 to 2 equivalents per equivalent of the aromatic dicarboxylic acid halide of the general formula (XI).

As to the reaction temperature, the reaction may be carried out at 0°C to the reflux temperature of the inert solvent used. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it may be properly chosen in the range of several minutes to 48 hours.

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystallization, column chromatography, etc., whereby the

desired compound can be produced. It is also possible to subject the desired compound to the subsequent reaction without isolation from the reaction system.

(6-3). General formula (IV-3)  $\rightarrow$  general formula (IV-1)

5           In the case of this reaction, the desired compound can be produced according to production process (1-1).

(6-4). General formula (IV-1)  $\rightarrow$  general formula (IX-1)


10           In the case of this reaction, the desired compound can be produced according to production process (5-2).

(6-5). General formula (IX-1)  $\rightarrow$  general formula (I-1)

15           In the case of this reaction, the desired compound can be produced according to production process (I-5).

10018463-041002

## Production process 7.



wherein  $\text{R}^1$ ,  $\text{R}^2$ , Het,  $\text{B}^1$ ,  $\text{B}^2$ ,  $\text{B}^3$ ,  $\text{B}^4$ , X, Y, hal, m and n are as defined above.

A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-1) can be produced by halogenating a heterocyclic dicarboxylic acid of the general formula (VII) in the presence of a halogenating agent to obtain an acid halide of the general formula (XII), reacting said acid halide (XII) with a

substituted aromatic amine of the general formula (V) in the presence or absence of an inert solvent to obtain a heterocyclic dicarboxylic acid isoimide and a heterocyclic dicarboxylic acid imide of the general formulas (IX-1) and (III), respectively, and reacting these compounds with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, in the presence or absence of an inert solvent after or without isolating said compounds.

10 (7-1). General formula (VII) → general formula (XII)

In the case of this reaction, the desired compound can be produced according to production process (6-1).

15 (7-2). General formula (XII) → general formulas (IX-1) and (III)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (6-2).

20 (7-3). General formulas (IX-1) and (III) → general formula (I-1)

In the case of this reaction, the desired compound can be produced in a manner similar to that described in production process (1-5).

wherein R<sup>1</sup>, R<sup>2</sup>, Het, B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup>, B<sup>4</sup>, X, Y, hal, m and n are as defined above.

The scheme illustrates the synthesis of various heterocyclic compounds (I-5) from substituted amides and hydrazides.
   
 Starting materials:
 

- (XIII-1): A substituted amide  $Xn-Het-C(=O)NR^1R^2$ .
- (XIII-2): A substituted hydrazide  $Xn-Het-C(=O)N-N(B^1=B^2)(B^3)-Ym$ .

 Reagents:
 

- 1)  $n-BuLi$ , 2)  $CO_2$

 Reactions:
 


- (XIII-1) reacts to form (IV-3):  $Xn-Het-C(=O)NR^1R^2$  with a  $CO_2H$  group.
- (XIII-2) reacts to form (IV-4):  $Xn-Het-C(=O)NR^1R^2$  with a  $CO_2H$  group and a  $B^1=B^2$  group.

 Condensing agents:
 

- (R<sup>2</sup>=H): Leads to (IX) and (I-5).
- (R<sup>3</sup>=H): Leads to (II-1) and (II-2).

 Products:
 

- (IX): A heterocyclic compound with a  $CO$  group.
- (I-5): A heterocyclic compound with a  $CO$  group and a  $B^1=B^2$  group.
- (II-1):  $R^1R^2NH$ .
- (II-2):  $R^1R^2NH \cdot Hahal$ .
- (I-4): A heterocyclic compound with a  $CO$  group and a  $B^1=B^2$  group.
- (IX-1): A heterocyclic compound with a  $CO$  group and a  $B^1=B^2$  group.
- (I-1): A heterocyclic compound with a  $CO$  group and a  $B^1=B^2$  group.






can be produced by subjecting a heterocyclic carboxylic acid amide of the general formula (XIII-1) or the general formula (XIII-2) to ortho-metallation by the use of a metal reagent such as butyllithium, reacting the ortho-metallation product with carbon dioxide to obtain a heterocyclic dicarboxylic acid amide derivative of the general formula (IV-3) or the general formula (IV-4), and treating this derivative in the same manner as in production processes (5-2) to (5-4).

- (8-1). General formula (XIII-1) or general formula (XIII-2)  $\rightarrow$  general formula (IV-3) or general formula (IV-4)

In the case of this reaction, the production can be carried out by lithiation at the ortho-position according to the method described in J. Org. Chem., 29, 853 (1964) and then introducing carbon dioxide to replace the lithium therewith at  $-80^{\circ}\text{C}$  to room temperature.

After completion of the reaction, the desired compound is isolated from the reaction system containing the desired compound by a conventional method, and if necessary, purified by recrystallization, column chromatography, etc., whereby the desired compound can be produced.

## Production process 9.



wherein  $\text{R}^1$ ,  $\text{R}^2$ , Het, X, Y, hal, m and n are as defined above.

- The reaction is oxidation of the nitrogen atom in the heterocyclic ring. A heterocyclic dicarboxylic acid diamide derivative of the general formula (I-6) can be produced by reacting a heterocyclic dicarboxylic acid imide of the general formula (III-4) with an oxidizing agent in the presence of an inert solvent to obtain a heterocyclic dicarboxylic acid imide derivative of the general formula (III-5), and reacting said heterocyclic dicarboxylic acid imide derivative (III-5) with an amine or its salt of the general formula (II-1) or the general formula (II-2), respectively, after or without isolating the derivative (III-5).

(9-1). General formula (III-4) → general formula (III-5)

As the inert solvent usable in this reaction, any inert solvent may be used so long as it does not inhibit the progress of the reaction. There can be exemplified dichloromethane, chloroform, carbon tetrachloride, chlorobenzene, water, acetic acid, ethyl acetate and trifluoroacetic acid. These inert solvents may be used singly or as a mixture of two or more thereof.

As the oxidizing agent used in the reaction, hydrogen peroxide, m-chloroperbenzoic acid and peracetic acid can be exemplified.

As to the reaction temperature for said reaction, the reaction may be carried out at 0°C to 100°C. Although the reaction time is varied depending on the scale of reaction, the reaction temperature and the like, it may be properly chosen in the range of several minutes to 48 hours.

(9-2). General formula (III-5) → general formula (I-6)


In the case of this reaction, the production can be carried out according to production process (I-5).

Typical examples of the heterocyclic dicarboxylic acid diamide derivative of the general formula (I) of the present invention are given in Tables 1 to 33 but they are not intended in any way to

10018463-041002

limit the scope of the present invention.

General formula (I)



10018453-041002

Table 1 ( $Z^1=Z^2=O$ ,  $R^3=H$ ,  $Het=Q1$ ,  
 $B^1=B^2=B^3=B^4=C$ )

No	$R^1$	$R^2$	p	$X_n$	$Y_m$	Physical property m. p. °C
1	H	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
2	CH <sub>3</sub>	H	0	H	4-CF <sub>3</sub>	
3	CH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-Cl	
4	CH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
5	CH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
6	CH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
7	C <sub>2</sub> H <sub>5</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
8	C <sub>2</sub> H <sub>5</sub>	H	0	H	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
9	C <sub>2</sub> H <sub>5</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
10	C <sub>2</sub> H <sub>5</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
11	C <sub>2</sub> H <sub>5</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163-041007

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
12	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	108-111
13	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	111-114
14	n-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	64-65
15	n-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-CF <sub>3</sub>	
16	n-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
17	n-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
18	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
	-SCH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
19	n-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
20	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-CF <sub>3</sub>	
21	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-NO <sub>2</sub>	
22	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-NO <sub>2</sub>	
23	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-F	
24	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub>	
25	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-CF <sub>3</sub>	
26	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-CF <sub>3</sub>	
27	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
28	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
29	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-OCF <sub>3</sub>	
30	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-OCF <sub>2</sub> CHFOC <sub>3</sub> F <sub>7</sub> -n	
31	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-SCF <sub>3</sub>	

13013463, 041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
32	CH(CH <sub>3</sub> ) -CH <sub>2</sub> SCH <sub>3</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	paste
33	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SCH <sub>2</sub> CF <sub>3</sub>	
34	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SCF <sub>2</sub> CHF <sub>2</sub>	
35	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-S(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
36	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SCF(CF <sub>3</sub> ) <sub>2</sub>	
37	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SCF <sub>2</sub> CBrF <sub>2</sub>	
38	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SOCF <sub>2</sub> CBrF <sub>2</sub>	
39	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SO(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
40	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>3</sub>	
41	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2, 3-Cl <sub>2</sub>	
42	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2, 4-Cl <sub>2</sub>	
43	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3, 4-F <sub>2</sub>	
44	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2, 4-(CH <sub>3</sub> ) <sub>2</sub>	
45	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF <sub>3</sub>	
46	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
47	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-OCF <sub>3</sub>	
48	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Br-4-OCF <sub>3</sub>	
49	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -3-Cl	
50	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-Cl	
51	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -5-Cl	
52	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-Br	

200110 59481007

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
53	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -5-F	167-169 188-189 134-136
54	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
55	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
56	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
57	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
58	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
59	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
60	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
61	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
62	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
63	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CBrF <sub>2</sub>	
64	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CCl <sub>2</sub> F	
65	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> CF <sub>3</sub>	
66	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBr <sub>2</sub> CF <sub>3</sub>	
67	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
68	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SC <sub>3</sub> H <sub>7</sub> -i	
69	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> OCH <sub>3</sub>	
70	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> SCH <sub>3</sub>	
71	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-COOCH <sub>3</sub>	
72	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> COOCH <sub>3</sub>	
73	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(F <sub>3</sub> -PhO)	
74	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	

10018463.041002



Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
75	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(2-Cl-4-CF <sub>3</sub> -PhO)	
76	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(4-Cl-Ph-CH <sub>2</sub> O)	
77	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(4-Cl-PhS)	
78	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
79	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-O)	
80	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	4-(3-Cl-5-CF <sub>3</sub> -2-Pyr-S)	
81	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-P=O(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	
82	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OP=S(OCH <sub>3</sub> ) <sub>2</sub>	
83	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
84	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3,5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
85	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-N=C(CF <sub>3</sub> )-NH-4	
86	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-N=C(CF <sub>3</sub> )-N(CH <sub>3</sub> )-4	
87	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-C <sub>4</sub> H <sub>9</sub> -n	
88	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-C <sub>4</sub> H <sub>9</sub> -t	
89	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-CF(CF <sub>3</sub> ) <sub>2</sub>	
90	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
91	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
92	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-OCHF <sub>2</sub>	
93	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-OCF <sub>2</sub> CHFOCF <sub>3</sub> F <sub>7</sub> -n	
94	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCH <sub>3</sub>	
95	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SOCH <sub>3</sub>	

10018463-041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
96	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SO <sub>2</sub> CH <sub>3</sub>	
97	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCHF <sub>2</sub>	
98	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	3-SCF <sub>3</sub>	
99	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	3-SOCF <sub>3</sub>	
100	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCH <sub>2</sub> CF <sub>3</sub>	
101	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCF <sub>2</sub> CHF <sub>2</sub>	
102	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCF <sub>2</sub> CB <sub>2</sub> F <sub>2</sub>	
103	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SCF(CF <sub>3</sub> ) <sub>2</sub>	
104	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-S(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
105	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SOCF(CF <sub>3</sub> ) <sub>2</sub>	
106	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>3</sub>	
107	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-SO <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
108	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-COCH <sub>3</sub>	
109	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	4-Ph	
110	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2,3-Cl <sub>2</sub>	
111	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2,4-Cl <sub>2</sub>	
112	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2,4-F <sub>2</sub>	
113	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-Cl-4-F	
114	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-F-4-Cl	
115	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2,3,4-F <sub>3</sub>	
116	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2,3-(CH <sub>3</sub> ) <sub>2</sub>	
117	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -3-Cl	

10018463-041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
118	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-Cl	162-167
119	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -5-Cl	
120	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-Br	
121	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-I	
122	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
123	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
124	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-Cl-4-CF <sub>3</sub>	
125	i-C <sub>3</sub> H <sub>7</sub>	H	1	4-Cl	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
126	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
127	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
128	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	
129	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
130	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
131	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
132	s-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>5</sub> CF <sub>3</sub>	
133	i-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
134	t-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-Cl-4-OCF <sub>3</sub>	
135	t-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-Br-4-OCF <sub>3</sub>	
136	t-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	175-180
137	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>3</sub>	
138	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
139	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>3</sub>	

10013463-041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
140	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
141	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	
142	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
143	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
144	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
145	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>5</sub> CF <sub>3</sub>	
146	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	3-Cl-4-OCF <sub>2</sub>	
147	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-OCF <sub>3</sub>	
148	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Br-4-OCF <sub>3</sub>	
149	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
150	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -3-Cl	
151	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-Cl	
152	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -5-Cl	
153	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-Br	
154	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-I	
155	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
156	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
157	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Cl-4-CF <sub>3</sub>	
158	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
159	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
160	i-C <sub>3</sub> H <sub>7</sub>	H	1	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
161	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	

10018463-041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
162	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
163	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
164	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
165	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>5</sub> CF <sub>3</sub>	
166	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	3-Cl-4-OCHF <sub>2</sub>	
167	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Cl-4-OCF <sub>3</sub>	
168	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Br-4-OCF <sub>3</sub>	
169	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
170	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -3-Cl	
171	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-Cl	
172	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -5-Cl	
173	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-Br	
174	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-I	
175	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
176	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2,3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
177	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-Cl-4-CF <sub>3</sub>	
178	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
179	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
180	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
181	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	
182	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
183	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
184	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
185	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>5</sub> CF <sub>3</sub>	
186	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	3-Cl-4-OCHF <sub>2</sub>	
187	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-Cl-4-OCF <sub>3</sub>	
188	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-Br-4-OCF <sub>3</sub>	
189	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
190	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -3-Cl	
191	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-Cl	
192	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -5-Cl	
193	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-Br	
194	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-I	
195	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
196	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
197	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Cl-4-CF <sub>3</sub>	
198	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
199	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
200	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
201	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	
202	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
203	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
204	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
205	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>5</sub> CF <sub>3</sub>	

20010103 011002

Table 1 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
206	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	3-Cl-4-OCHF <sub>2</sub>	
207	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Cl-4-OCF <sub>3</sub>	
208	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Br-4-OCF <sub>3</sub>	
209	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
210	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
211	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
212	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>3</sub>	
213	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
214	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
215	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
216	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>6</sub> CF <sub>3</sub>	
217	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	3-Cl-4-OCHF <sub>2</sub>	
218	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Cl-4-OCF <sub>3</sub>	
219	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Br-4-OCF <sub>3</sub>	

10018163-041002

Table 2 ( $Z^1 = Z^2 = O$ ,  $R^3 = H$ ,  $Het = Q2$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$R^2$	p	$X_n$	$Y_m$	Physical property m. p. °C
220	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	234-236
221	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
222	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
223	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
224	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
225	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
226	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
227	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
228	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
229	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
230	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
231	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
232	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
233	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
234	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF <sub>3</sub>	
235	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
236	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-Cl-4-OCHF <sub>2</sub>	
237	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-F-4-OCHF <sub>2</sub>	
238	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-OCF <sub>3</sub>	
239	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
240	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	



Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
241	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	315(dec.)
242	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
243	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrCF <sub>3</sub>	
244	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
245	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub> -5-Cl	
246	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> -5-Cl	
247	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-SCHF <sub>2</sub>	
248	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(F <sub>s</sub> -PhO)	
249	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2 -Pyr-0)	
250	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-0)	
251	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-P=O(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	
252	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OP=S(OCH <sub>3</sub> ) <sub>2</sub>	
253	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
254	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
255	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-O-4	
256	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-NH-4	
257	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-N(CH <sub>3</sub> )-4	
258	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	229-231
259	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF <sub>3</sub>	

10018163-041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
260	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
261	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
262	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
263	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
264	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
265	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
266	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
267	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
268	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
269	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
270	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
271	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
272	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
273	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-CF <sub>3</sub>	
274	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
275	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3-Cl-4-OCHF <sub>2</sub>	
276	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3-F-4-OCHF <sub>2</sub>	
277	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-OCF <sub>3</sub>	
278	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Br-4-OCF <sub>3</sub>	
279	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3, 5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
280	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
281	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	

10013463-041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
282	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
283	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
284	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
285	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
286	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-Cl-4-OCF <sub>3</sub>	
287	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-Br-4-OCF <sub>3</sub>	
288	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
289	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
290	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
291	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
292	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
293	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
294	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -3-Cl-4-OCHF <sub>2</sub>	
295	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCHF <sub>2</sub>	
296	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
297	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
298	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-O)	
299	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
300	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	-3-OCH <sub>2</sub> O-4-	
301	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	4-CF <sub>3</sub>	
302	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	4-OCF <sub>3</sub>	

10018163-011002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
303	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub>	
304	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4, 6-(CH <sub>3</sub> ) <sub>3</sub>	
305	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -3-Cl	
306	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-Cl	
307	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -5-Cl	
308	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Cl	
309	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-Cl	
310	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-C <sub>2</sub> H <sub>5</sub> -4-Cl	
311	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-Br	
312	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Br	
313	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-I	
314	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-F	
315	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-CF <sub>3</sub>	
316	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
317	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
318	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
319	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>2</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
320	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
321	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
322	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
323	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-OCF <sub>3</sub>	
324	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Br-4-OCF <sub>3</sub>	

10018463-011002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
325	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
326	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
327	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
328	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
329	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
330	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
331	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCHF <sub>2</sub>	
332	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -3-Cl-4-OCHF <sub>2</sub>	
333	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
334	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
335	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-0)	
336	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(3-Cl-5 -CF <sub>3</sub> -2-Pyr-0)	
337	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	-3-OCH <sub>2</sub> O-4-	
338	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-OCHF <sub>2</sub>	
339	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-Cl	
340	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-Br	
341	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-I	
342	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	3-CF <sub>3</sub>	
343	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF <sub>3</sub>	
344	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
345	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163 . 041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
346	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-OCF <sub>3</sub>	
347	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
348	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCHF <sub>2</sub>	
349	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCH <sub>2</sub> CF <sub>3</sub>	
350	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF <sub>2</sub> CHF <sub>2</sub>	
351	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF <sub>2</sub> CBrF <sub>2</sub>	
352	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF(CF <sub>3</sub> ) <sub>2</sub>	
353	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-S(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
354	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	3, 4-F <sub>2</sub>	
355	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -3-Cl	
356	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-Cl	
357	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -5-Cl	
358	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-Cl	
359	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Cl	
360	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>3</sub>	
361	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
362	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
363	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
364	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
365	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
366	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-Br	
367	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-I	

10018463-041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
368	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-F	
369	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>3</sub>	
370	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -3-CF <sub>3</sub>	
371	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
372	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
373	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
374	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
375	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
376	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
377	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-O-C <sub>3</sub> H <sub>7</sub> -i	
378	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
379	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>3</sub>	
380	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CB <sub>2</sub> F <sub>2</sub>	
381	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
382	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3-F-4-OCHF <sub>2</sub>	
383	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3, 5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
384	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3-OCH <sub>3</sub> -4-OCHF <sub>2</sub>	
385	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3, 4-(OCHF <sub>2</sub> ) <sub>2</sub>	
386	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
387	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
388	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
389	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	

10018463.041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
390	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
391	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> -5-Cl	
392	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
393	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> CF <sub>3</sub>	
394	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CB <sub>2</sub> FCF <sub>3</sub>	
395	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
396	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub> -5-Cl	
397	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(F <sub>3</sub> -PhO)	
398	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
399	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
400	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
401	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
402	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
403	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
404	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
405	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
406	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
407	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
408	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
409	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
410	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002



Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
411	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
412	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
413	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
414	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
415	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
416	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
417	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
418	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
419	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
420	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
421	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
422	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
423	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
424	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
425	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
426	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
427	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
428	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
429	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
430	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
431	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
432	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 2 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
433	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
434	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
435	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
436	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
437	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
438	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
439	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
440	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

Table 3 (R<sup>1</sup>=CH(CH<sub>3</sub>)CH<sub>2</sub>SCCH<sub>3</sub>, R<sup>3</sup>=H, Z<sup>1</sup>=Z<sup>2</sup>=O,  
H e t = Q 2, B<sup>1</sup>=B<sup>2</sup>=B<sup>3</sup>=B<sup>4</sup>=C)

No	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
441	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
442	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
443	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
444	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
445	H	0	H	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
446	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10010163-041002

Table 3 (cont'd)

No	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
447	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
448	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
449	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
450	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
451	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
452	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
453	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
454	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
455	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
456	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
457	H	0	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
458	H	0	2-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
459	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
460	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10013163-041002

Table 4  $(R^1 = C(CH_3)_2CH_2SCH_3, R^3 = H, Z^1 = Z^2 = O,$   
 $He t = Q^2, B^1 = B^2 = B^3 = B^4 = C)$

No	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
461	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	148-149
462	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
463	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
464	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
465	H	0	H	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
466	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
467	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
468	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
469	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
470	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
471	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
472	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
473	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
474	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
475	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
476	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
477	H	0	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
478	H	0	2-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
479	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
480	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

Table 5 ( $R^2=R^3=H$ ,  $Z^1=Z^2=O$ ,  $Het=Q2$ ,  $p=0$ ,  
 $B^1=B^2=B^3=B^4=C$ )

No	$R^1$	$X_n$	$Y_m$	Physical property m. p. °C
481	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $OCF_3$	180-182
482	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_3$	
483	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_2CF_3$	
484	$C(CH_3)_2CH_2SOCH_3$	H	2- $CH_3$ -4- $CF(CF_3)_2$	
485	$CH(CH_3)CH_2SC_2H_5$	2-Cl	2- $CH_3$ -4- $(CF_2)_3CF_3$	
486	$CH(CH_3)CH_2SC_2H_5$	2-I	2-Cl-4- $CF(CF_3)_2$	
487	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $OCF_3$	
488	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_3$	
489	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_2CF_3$	
490	$C(CH_3)_2CH_2SC_2H_5$	5-Cl	2- $CH_3$ -4- $CF(CF_3)_2$	
491	$C(CH_3)_2CH_2SC_2H_5$	5-Br	2- $CH_3$ -4- $(CF_2)_3CF_3$	
492	$C(CH_3)_2CH_2SC_2H_5$	5-I	2-Cl-4- $CF(CF_3)_2$	
493	$CH(CH_3)CH_2NHAc$	2-Cl	2- $CH_3$ -4- $OCF_3$	
494	$CH(CH_3)CH_2NHAc$	5-Cl	2- $CH_3$ -4- $CF_2CF_3$	
495	$CH(CH_3)CH_2NHAc$	5-I	2- $CH_3$ -4- $CF_2CF_2CF_3$	
496	$CH(CH_3)CH_2NHAc$	2-I	2- $CH_3$ -4- $CF(CF_3)_2$	
497	$C(CH_3)_2CH_2NHAc$	2-Cl	2- $CH_3$ -4- $(CF_2)_3CF_3$	
498	$C(CH_3)_2CH_2NHAc$	5-I	2-Cl-4- $CF(CF_3)_2$	
499	$CH(CH_3)C_2H_4OCH_3$	2-Cl	2- $CH_3$ -4- $CF(CF_3)_2$	
500	$CH(CH_3)C_2H_4OCH_3$	2-I	2- $CH_3$ -4- $CF(CH_3)_2$	
501	$C(CH_3)_2C_2H_4OCH_3$	5-I	2- $CH_3$ -4- $CF(CF_3)_2$	

10018463-041002

Table 6 ( $Z^1 = Z^2 = O$ ,  $R^3 = H$ ,  $Het = Q3$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$R^2$	p	$X_n$	$Y_m$	Physical property m. p. °C
502	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	206-208
503	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
504	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
505	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
506	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
507	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
508	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
509	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
510	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
511	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
512	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
513	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
514	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
515	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
516	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF <sub>3</sub>	
517	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
518	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-Cl-4-OCHF <sub>2</sub>	
519	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-F-4-OCHF <sub>2</sub>	
520	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-OCF <sub>3</sub>	
521	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
522	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

200403-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
523	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	275-277
524	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
525	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrFCF <sub>3</sub>	
526	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
527	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub> -5-Cl	
528	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> -5-Cl	
529	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-SCHF <sub>2</sub>	
530	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(F <sub>3</sub> -PhO)	
531	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2 -Pyr-0)	
532	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-0)	
533	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-P=O(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	
534	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OP=S(OCH <sub>3</sub> ) <sub>2</sub>	
535	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
536	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
537	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-O-4	
538	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-NH-4	
540	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	3-N=C(CF <sub>3</sub> )-N(CH <sub>3</sub> )-4	
541	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
542	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
543	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	

100181453.041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
544	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
545	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
546	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
547	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
548	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
549	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
550	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
551	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
552	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
553	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
554	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
555	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
556	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-CF <sub>3</sub>	
557	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
558	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3-Cl-4-OCHF <sub>2</sub>	
559	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3-F-4-OCHF <sub>2</sub>	
560	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Cl-4-OCF <sub>3</sub>	
561	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	2-Br-4-OCF <sub>3</sub>	
562	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-Br	3,5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
563	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
564	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
565	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	

10018163-041002



Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
566	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
567	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
568	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
569	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-Cl-4-OCF <sub>3</sub>	
570	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-Br-4-OCF <sub>3</sub>	
571	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
572	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
573	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
574	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
575	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
576	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
577	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -3-Cl-4-OCHF <sub>2</sub>	
578	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCHF <sub>2</sub>	
579	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
580	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
581	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-I	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-O)	
582	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
583	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	-3-OCH <sub>2</sub> O-4-	
584	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	4-CF <sub>3</sub>	
585	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	4-OCF <sub>3</sub>	
586	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub>	

1018463-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
587	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4, 6-(CH <sub>3</sub> ) <sub>3</sub>	
588	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -3-Cl	
589	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-Cl	
590	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -5-Cl	
591	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Cl	
592	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-Cl	
593	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-C <sub>2</sub> H <sub>5</sub> -4-Cl	
594	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-Br	
595	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Br	
596	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-I	
597	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-F	
598	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-CF <sub>3</sub>	
599	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
600	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
601	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
602	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
603	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
604	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
605	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
606	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-OCF <sub>3</sub>	
607	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Br-4-OCF <sub>3</sub>	
608	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	

10018463-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
609	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
610	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
611	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
612	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
613	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
614	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCHF <sub>2</sub>	
615	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -3-Cl-4-OCHF <sub>2</sub>	
616	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
617	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
618	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
619	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(3-Cl-5 -CF <sub>3</sub> -2-Pyr-O)	
620	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	-3-OCH <sub>2</sub> O-4-	
621	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-OCHF <sub>2</sub>	
622	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-Cl	
623	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-Br	
624	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-I	
625	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	3-CF <sub>3</sub>	
626	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF <sub>3</sub>	
627	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
628	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-CF(CF <sub>3</sub> ) <sub>2</sub>	
629	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-OCF <sub>3</sub>	

10018163-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
630	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
631	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCHF <sub>2</sub>	
632	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCH <sub>2</sub> CF <sub>3</sub>	
633	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF <sub>2</sub> CHF <sub>2</sub>	
634	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF <sub>2</sub> CBrF <sub>2</sub>	
635	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-SCF(CF <sub>3</sub> ) <sub>2</sub>	
636	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	4-S(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
637	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	3, 4-F <sub>2</sub>	
638	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -3-Cl	
639	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-Cl	
640	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -5-Cl	
641	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-Cl	
642	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-Cl	
643	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>3</sub>	
644	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
645	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
646	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
647	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
648	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
649	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-Br	
650	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-I	
651	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-F	

10018163-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
652	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-Cl-4-CF <sub>3</sub>	
653	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -3-CF <sub>3</sub>	
654	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
655	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
656	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
657	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
658	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
659	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
660	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-O-C <sub>3</sub> H <sub>7</sub> -i	
661	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
662	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>3</sub>	
663	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
664	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
665	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3-F-4-OCHF <sub>2</sub>	
666	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3, 5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
667	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3-OCH <sub>3</sub> -4-OCHF <sub>2</sub>	
668	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	3, 4-(OCHF <sub>2</sub> ) <sub>2</sub>	
669	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
670	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
671	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
672	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
673	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	

100140-0181001

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
674	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> -5-Cl	
675	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
676	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
677	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrFCF <sub>3</sub>	
678	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
679	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCHF <sub>2</sub> -5-Cl	
680	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(F <sub>6</sub> -PhO)	
681	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
682	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-0)	
683	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
684	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
685	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
686	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
687	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
688	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
689	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
690	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
691	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
692	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
693	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
694	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	

10018463, 041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
695	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
696	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
697	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
698	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
699	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
700	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
701	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
702	i-C <sub>3</sub> H <sub>7</sub>	H	0	2-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
703	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
704	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
705	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
706	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
707	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
708	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
709	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
710	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
711	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
712	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
713	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
714	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
715	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
716	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	

10018463-041002

Table 6 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
717	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
718	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
719	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
720	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
721	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
722	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
723	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

Table 7 (R<sup>1</sup>=CH(CH<sub>3</sub>)CH<sub>2</sub>SCCH<sub>3</sub>, R<sup>3</sup>=H, Z<sup>1</sup>=Z<sup>2</sup>=O,  
He t=Q 3, B<sup>1</sup>=B<sup>2</sup>=B<sup>3</sup>=B<sup>4</sup>=C)

No	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
724	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
725	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
726	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
727	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
728	H	0	H	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
729	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
730	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	

10018463-041002



Table 7 (cont'd)

No	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
731	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	237-239
732	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
733	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
734	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
735	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
736	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
737	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
738	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
739	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
740	H	0	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
741	H	0	2-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
742	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
743	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463 041002

Table 8 ( $R^1 = C(CH_3)_2CH_2SCH_3$ ,  $R^3 = H$ ,  $Z^1 = Z^2 = O$ ,  $Het = Q3$ ,  $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^2$	p	$X_n$	$Y_m$	Physical property m. p. °C
744	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
745	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
746	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
747	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
748	H	0	H	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
749	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
750	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
751	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
752	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
753	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
754	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
755	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
756	H	0	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
757	H	0	2-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
758	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
759	H	0	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
760	H	0	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
761	H	0	2-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
762	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
763	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002

Table 9 ( $R^2 = R^3 = H$ ,  $Z^1 = Z^2 = O$ ,  $Het = Q3$ ,  $p = 0$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$X_n$	$Y_m$	Physical property m. p. °C
764	$CH(CH_3)CH_2SC_2H_5$	H	$2-CH_3-4-OCF_3$	
765	$CH(CH_3)CH_2SC_2H_5$	H	$2-CH_3-4-CF_2CF_3$	
766	$CH(CH_3)CH_2SC_2H_5$	H	$2-CH_3-4-CF_2CF_2CF_3$	
767	$CH(CH_3)CH_2SC_2H_5$	H	$2-CH_3-4-CF(CF_3)_2$	
768	$CH(CH_3)CH_2SC_2H_5$	2-Cl	$2-CH_3-4-(CF_2)_3CF_3$	
769	$CH(CH_3)CH_2SC_2H_5$	2-I	$2-Cl-4-CF(CF_3)_2$	
770	$C(CH_3)_2CH_2SC_2H_5$	H	$2-CH_3-4-OCF_3$	
771	$C(CH_3)_2CH_2SC_2H_5$	H	$2-CH_3-4-CF_2CF_3$	
772	$C(CH_3)_2CH_2SC_2H_5$	H	$2-CH_3-4-CF_2CF_2CF_3$	
773	$C(CH_3)_2CH_2SC_2H_5$	5-Cl	$2-CH_3-4-CF(CF_3)_2$	
774	$C(CH_3)_2CH_2SC_2H_5$	5-Br	$2-CH_3-4-(CF_2)_3CF_3$	
775	$C(CH_3)_2CH_2SC_2H_5$	5-I	$2-Cl-4-CF(CF_3)_2$	
776	$CH(CH_3)CH_2NHAc$	2-Cl	$2-CH_3-4-OCF_3$	
777	$CH(CH_3)CH_2NHAc$	5-Cl	$2-CH_3-4-CF_2CF_3$	
778	$CH(CH_3)CH_2NHAc$	5-I	$2-CH_3-4-CF_2CF_2CF_3$	
779	$CH(CH_3)CH_2NHAc$	2-I	$2-CH_3-4-CF(CF_3)_2$	
780	$C(CH_3)_2CH_2NHAc$	2-Cl	$2-CH_3-4-(CF_2)_3CF_3$	
781	$C(CH_3)_2CH_2NHAc$	5-I	$2-Cl-4-CF(CF_3)_2$	
782	$CH(CH_3)C_2H_4OCH_3$	2-Cl	$2-CH_3-4-CF(CF_3)_2$	
783	$CH(CH_3)C_2H_4OCH_3$	2-I	$2-CH_3-4-CF(CH_3)_2$	
784	$C(CH_3)_2C_2H_4OCH_3$	5-I	$2-CH_3-4-CF(CF_3)_2$	

10018463-041002

Table 10 ( $Z^1 = Z^2 = O$ ,  $R^3 = H$ ,  $Het = Q4$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$R^2$	p	$X_n$	$Y_m$	Physical property m. p. °C
785	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	184-185
786	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
787	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
788	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
789	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
790	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
791	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
792	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
793	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
794	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	paste
795	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	159-161
796	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
797	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
798	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
799	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF <sub>3</sub>	
800	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
801	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-Cl-4-OCHF <sub>2</sub>	
802	i-C <sub>3</sub> H <sub>7</sub>	H	0	H	3-F-4-OCHF <sub>2</sub>	
803	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
804	i-C <sub>3</sub> H <sub>7</sub>	H	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	108-110
805	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	130-132

10010163-011002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
806	n-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	149-152
807	c-C <sub>3</sub> H <sub>5</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
808	n-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrCF <sub>3</sub>	
809	i-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFOCF <sub>3</sub>	
810	i-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub> -5-Cl	
811	n-C <sub>4</sub> H <sub>9</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub> -5-Cl	
812	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-SCHF <sub>2</sub>	
813	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-(F <sub>5</sub> -PhO)	
814	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2 -Pyr-0)	
815	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-0)	
816	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-P=O(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	
817	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OP=S(OCH <sub>3</sub> ) <sub>2</sub>	
818	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
819	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	3-CF <sub>3</sub> -4-OCHF <sub>2</sub>	
820	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	3-N=C(CF <sub>3</sub> )-O-4	
821	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
822	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
823	c-C <sub>3</sub> H <sub>5</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
824	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
825	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	

10018167-041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
826	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
827	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
828	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
829	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -3-OCF <sub>2</sub> CHClF	
830	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CCl <sub>2</sub> F	
831	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
832	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
833	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
834	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
835	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-SCF <sub>2</sub> CBrF <sub>2</sub>	
836	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
837	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
838	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>3</sub>	
839	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
840	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	3-Cl-4-OCHF <sub>2</sub>	
841	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	3-F-4-OCHF <sub>2</sub>	
842	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-OCF <sub>3</sub>	
843	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Br-4-OCF <sub>3</sub>	
844	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	3, 5-Cl <sub>2</sub> -4-OCHF <sub>2</sub>	
845	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
846	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
847	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	

10018463.041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
848	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
849	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
850	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
851	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Cl-4-OCF <sub>3</sub>	
852	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Br-4-OCF <sub>3</sub>	
853	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
854	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
855	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
856	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
857	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
858	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
859	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -3-Cl-4-OCHF <sub>2</sub>	
860	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCHF <sub>2</sub>	
861	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
862	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
863	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(3-Cl- 5-CF <sub>3</sub> -2-Pyr-O)	
864	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-CF <sub>3</sub>	
865	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
866	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
867	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
868	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	

10018463-041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
869	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 4-(CH <sub>3</sub> ) <sub>2</sub> -3-OCHF <sub>2</sub>	
870	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
871	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
872	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Cl-4-OCF <sub>3</sub>	
873	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-Br-4-OCF <sub>3</sub>	
874	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
875	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
876	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
877	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
878	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
879	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Cl	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
880	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
881	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
882	i-C <sub>3</sub> H <sub>7</sub>	H	1	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
883	i-C <sub>3</sub> H <sub>7</sub>	H	1	6-Cl	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
884	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Cl	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
885	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
886	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub> F <sub>2</sub>	
887	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
888	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
889	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF	
890	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-Br-4-OCF <sub>3</sub>	

10018463-041002



Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
891	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCHF <sub>2</sub>	
892	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
893	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCBrF <sub>2</sub>	
894	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHFCF <sub>3</sub>	
895	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-I	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHClF	
896	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
897	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
898	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
899	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-SCH <sub>3</sub>	
900	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-(3-CF <sub>3</sub> -PhO)	
901	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-(5-CF <sub>3</sub> -2-Pyr-O)	
902	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-I	2-CH <sub>3</sub> -4-(3-Cl-5 -CF <sub>3</sub> -2-Pyr-O)	
903	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
904	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-I	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
905	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>3</sub>	
906	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
907	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
908	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
909	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
910	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
911	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-Br	

10018463-011007

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
912	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-I	
913	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-F	
914	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-Cl-4-CF <sub>3</sub>	
916	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
917	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
918	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
919	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
920	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
921	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-OCH <sub>3</sub>	
922	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-O-C <sub>3</sub> H <sub>7</sub> -i	
923	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2, 3-(CH <sub>3</sub> ) <sub>2</sub> -4-OCH <sub>3</sub>	
924	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>3</sub>	
925	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-Br	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CBrF <sub>2</sub>	
926	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
927	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
928	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
929	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
930	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
931	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
932	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
933	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
934	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-Br	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
935	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
936	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
937	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
938	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
939	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
940	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
941	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
942	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
943	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
944	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-Br	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
945	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
946	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
947	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
948	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
949	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
950	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
951	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
952	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
953	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
954	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
955	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
956	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
957	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
958	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
959	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
960	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
961	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
962	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
963	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
964	i-C <sub>3</sub> H <sub>7</sub>	H	0	4-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
965	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
966	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
967	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
968	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
969	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CH <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
970	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CH <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
971	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CH <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
972	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CH <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
973	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CH <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
974	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
975	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
976	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
977	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 10 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
978	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
979	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
980	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
981	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
982	i-C <sub>3</sub> H <sub>7</sub>	H	0	5-CF <sub>3</sub>	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
983	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CF <sub>3</sub>	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
984	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CF <sub>3</sub>	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
985	i-C <sub>3</sub> H <sub>7</sub>	H	0	6-CF <sub>3</sub>	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

Table 11 (R<sup>1</sup>=CH(CH<sub>3</sub>)CH<sub>2</sub>SCH<sub>3</sub>, R<sup>3</sup>=H, Z<sup>1</sup>=Z<sup>2</sup>=O,  
H e t = Q 4, B<sup>1</sup>=B<sup>2</sup>=B<sup>3</sup>=B<sup>4</sup>=C)

No	R <sup>2</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
986	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	108-110 paste
987	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
988	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
989	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
990	H	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
991	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10010163-041002

Table 11 (cont'd)

No	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
992	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	237-239
993	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
994	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
995	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
996	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
997	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
998	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
999	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1000	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1001	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1002	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1003	H	0	4-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1004	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1005	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463 . 041002

Table 12  $(R^1 = C(CH_3)_2CH_2SCH_3, R^3 = H, Z^1 = Z^2 = O,$   
 $Het = Q, B^1 = B^2 = B^3 = B^4 = C)$

No	R <sup>2</sup>	p	Xn	Ym	Physical property m. p. °C
1006	H	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	paste
1007	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1008	H	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
1009	H	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1010	H	0	H	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
1011	H	0	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1012	H	0	H	2-Cl-4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
1013	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1014	H	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1015	H	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1016	H	0	H	2-Br-4-CF <sub>2</sub> CF <sub>3</sub>	
1017	H	0	H	2-Br-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1018	H	0	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1019	H	0	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1020	H	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1021	H	0	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1022	H	0	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1023	H	0	4-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1024	H	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1025	H	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10048463.041002

Table 13 ( $R^2 = R^3 = H$ ,  $Z^1 = Z^2 = O$ ,  $Het = Q4$ ,  $p = 0$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$X_n$	$Y_m$	Physical property m. p. °C
1026	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $OCF_3$	
1027	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_3$	
1028	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_2CF_3$	
1029	$CH(CH_3)CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF(CF_3)_2$	
1030	$CH(CH_3)CH_2SC_2H_5$	4-Cl	2- $CH_3$ -4- $(CF_2)_3CF_3$	
1031	$CH(CH_3)CH_2SC_2H_5$	4-I	2-Cl-4- $CF(CF_3)_2$	
1032	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $OCF_3$	
1033	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_3$	
1034	$C(CH_3)_2CH_2SC_2H_5$	H	2- $CH_3$ -4- $CF_2CF_2CF_3$	
1035	$C(CH_3)_2CH_2SC_2H_5$	5-Cl	2- $CH_3$ -4- $CF(CF_3)_2$	
1036	$C(CH_3)_2CH_2SC_2H_5$	5-Br	2- $CH_3$ -4- $(CF_2)_3CF_3$	
1037	$C(CH_3)_2CH_2SC_2H_5$	5-I	2-Cl-4- $CF(CF_3)_2$	
1038	$CH(CH_3)CH_2NHAc$	4-Cl	2- $CH_3$ -4- $OCF_3$	
1039	$CH(CH_3)CH_2NHAc$	5-Cl	2- $CH_3$ -4- $CF_2CF_3$	
1040	$CH(CH_3)CH_2NHAc$	5-I	2- $CH_3$ -4- $CF_2CF_2CF_3$	
1041	$CH(CH_3)CH_2NHAc$	4-I	2- $CH_3$ -4- $CF(CF_3)_2$	
1042	$C(CH_3)_2CH_2NHAc$	4-Cl	2- $CH_3$ -4- $(CF_2)_3CF_3$	
1043	$C(CH_3)_2CH_2NHAc$	5-I	2-Cl-4- $CF(CF_3)_2$	
1044	$CH(CH_3)C_2H_4OCH_3$	4-Cl	2- $CH_3$ -4- $CF(CF_3)_2$	
1045	$CH(CH_3)C_2H_4OCH_3$	4-I	2- $CH_3$ -4- $CF(CH_3)_2$	
1046	$C(CH_3)_2C_2H_4OCH_3$	5-I	2- $CH_3$ -4- $CF(CF_3)_2$	

10018463-041002



Table 14 ( $Z^1 = Z^2 = O$ ,  $H e t = Q 4$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	R <sup>2</sup>	R <sup>3</sup>	Xn	Ym	Physical property m. p. °C
1047	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	paste
1048	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1049	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
1050	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1051	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
1052	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	CH <sub>3</sub>	4-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1053	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-I	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1054	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1055	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>2</sub> CF <sub>3</sub>	
1056	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1057	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-I	2-CH <sub>3</sub> -4-(CF <sub>2</sub> ) <sub>3</sub> CF <sub>3</sub>	
1058	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	4-I	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 15 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $Het = Q5$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1059	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	
1060	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1061	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1062	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1063	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1064	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1065	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1066	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1067	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1068	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1069	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1070	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1071	i-C <sub>3</sub> H <sub>7</sub>	0	5-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1072	i-C <sub>3</sub> H <sub>7</sub>	0	5-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1073	i-C <sub>3</sub> H <sub>7</sub>	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1074	i-C <sub>3</sub> H <sub>7</sub>	0	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1075	i-C <sub>3</sub> H <sub>7</sub>	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1076	i-C <sub>3</sub> H <sub>7</sub>	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1077	i-C <sub>3</sub> H <sub>7</sub>	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-01-1002

Table 15 (cont'd)

No	R <sup>1</sup>	p	Xn	Ym	Physical property m. p. °C
1078	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1079	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1080	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1081	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1082	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1083	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1084	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1085	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1086	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1087	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1088	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1089	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163.041002

Table 16 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $Het = Q6$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1090	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	191-193
1091	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1092	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1093	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1094	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1095	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1096	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1097	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1098	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1099	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1100	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1101	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1102	i-C <sub>3</sub> H <sub>7</sub>	0	3-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1103	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1104	i-C <sub>3</sub> H <sub>7</sub>	0	3-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1105	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1106	i-C <sub>3</sub> H <sub>7</sub>	0	3-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1107	i-C <sub>3</sub> H <sub>7</sub>	0	6-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1108	i-C <sub>3</sub> H <sub>7</sub>	0	3-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10010463.041002

Table 16 (cont'd)

No	R <sup>1</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1109	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	85-95
1110	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1111	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1112	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1113	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1114	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1115	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1116	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1117	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1118	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1119	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1120	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1121	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 17 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $H \text{ e } t = Q7$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1122	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	204-206
1123	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1124	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1125	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1126	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1127	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1128	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1129	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1130	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1131	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1132	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1133	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1134	i-C <sub>3</sub> H <sub>7</sub>	0	5-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1135	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1136	i-C <sub>3</sub> H <sub>7</sub>	0	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1137	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1138	i-C <sub>3</sub> H <sub>7</sub>	0	5-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1139	i-C <sub>3</sub> H <sub>7</sub>	0	6-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1140	i-C <sub>3</sub> H <sub>7</sub>	0	5-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

Table 17 (cont'd)

No	R <sup>1</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1141	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1142	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1143	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1144	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1145	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1146	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1147	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1148	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1149	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1150	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1151	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1152	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 18 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $Het = Q8$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1153	$i-C_3H_7$	0	H	$2-CH_3-4-CF_3$	192-194
1154	$i-C_3H_7$	0	H	$2-CH_3-4-OCF_3$	
1155	$i-C_3H_7$	0	H	$2-CH_3-4-OCF_2CHF_2$	
1156	$i-C_3H_7$	0	H	$2-CH_3-4-OCH_2CF_2CHF_2$	
1157	$i-C_3H_7$	0	H	$2-CH_3-4-CF_2CF_3$	
1158	$i-C_3H_7$	0	H	$2-CH_3-4-CF(CF_3)_2$	
1159	$i-C_3H_7$	0	H	$2-CH_3-4-SCH_2CF_2CHF_2$	
1160	$i-C_3H_7$	0	H	$2-CH_3-4-SO_2CH_2CF_2CHF_2$	
1161	$i-C_3H_7$	0	H	$2-Cl-4-CF(CF_2)_2$	
1162	$i-C_3H_7$	0	H	$2-Cl-4-CF_2CF_3$	
1163	$i-C_3H_7$	0	H	$2-C_2H_5-4-CF(CF_3)_2$	
1164	$i-C_3H_7$	0	H	$2-F-4-CF_2CF_3$	
1165	$i-C_3H_7$	0	6-Cl	$2-CH_3-4-CF_2CF_3$	
1166	$i-C_3H_7$	0	6-Cl	$2-CH_3-4-CF(CF_3)_2$	
1167	$i-C_3H_7$	0	6-I	$2-CH_3-4-CF_2CF_3$	204-206
1168	$i-C_3H_7$	0	6-I	$2-CH_3-4-CF(CF_3)_2$	
1169	$i-C_3H_7$	0	2-CH <sub>3</sub>	$2-CH_3-4-CF_2CF_3$	
1170	$i-C_3H_7$	0	2-SCH <sub>3</sub>	$2-CH_3-4-CF(CF_3)_2$	
1171	$i-C_3H_7$	0	6-CF <sub>3</sub>	$2-CH_3-4-CF(CF_3)_2$	
1172	$CH(CH_3)CH_2$ -SOCH <sub>3</sub>	0	H	$2-CH_3-4-CF_2CF_3$	



Table 18 (cont'd)

No	R <sup>1</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1173	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	2-SCH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	168-170
1174	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1175	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1176	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1177	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1178	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1179	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1180	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1181	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1182	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1183	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

200140-6481007

Table 19 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $Het = Q9$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1184	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	162-164
1185	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1186	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1187	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1188	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1189	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1190	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1191	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1192	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1193	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1194	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1195	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1196	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1197	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1198	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1199	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1200	i-C <sub>3</sub> H <sub>7</sub>	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1201	i-C <sub>3</sub> H <sub>7</sub>	0	2-SCH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1202	i-C <sub>3</sub> H <sub>7</sub>	0	6-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1203	CH(CH <sub>3</sub> )CH <sub>2</sub> -SOCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

Table 19 (cont'd)

No	R <sup>1</sup>	p	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1204	CH(CH <sub>3</sub> )CH <sub>2</sub> SCCH <sub>3</sub>	0	2-SCH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	129-131
1205	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1206	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1207	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1208	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1209	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1210	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1211	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1212	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1213	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1214	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10019463-041002

Table 20 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $q = 0$ ,  $Het = Q10$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	p	$X_n$	$Y_m$	Physical property m. p. °C
1215	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	153-155 paste
1216	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1217	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1218	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1219	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1220	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1221	i-C <sub>3</sub> H <sub>7</sub>	1	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1222	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1223	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1224	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1225	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1226	i-C <sub>3</sub> H <sub>7</sub>	0	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1227	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1228	i-C <sub>3</sub> H <sub>7</sub>	0	6-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1229	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1230	i-C <sub>3</sub> H <sub>7</sub>	0	6-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1231	i-C <sub>3</sub> H <sub>7</sub>	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1232	i-C <sub>3</sub> H <sub>7</sub>	0	2-CH <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1233	i-C <sub>3</sub> H <sub>7</sub>	0	6-CF <sub>3</sub>	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1234	CH(CH <sub>3</sub> )CH <sub>2</sub> -SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

Table 20 (cont'd)

No	R <sup>1</sup>	p	Xn	Ym	Physical property m. p. °C
1235	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1236	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1237	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1238	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1239	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1240	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1241	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1242	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1243	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1244	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1245	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1246	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	0	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10618457-014007

Table 21 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q11$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1247	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	145-146
1248	i-C <sub>3</sub> H <sub>7</sub>	O	4, 5-(CH <sub>3</sub> ) <sub>2</sub>	4-OCF <sub>3</sub>	148
1249	t-C <sub>4</sub> H <sub>9</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	139-141
1250	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> -CHF <sub>2</sub>	
1251	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	164-165
1252	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1253	i-C <sub>3</sub> H <sub>7</sub>	S	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1254	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> -CHF <sub>2</sub>	
1255	i-C <sub>3</sub> H <sub>7</sub>	S	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	202-204
1256	t-C <sub>4</sub> H <sub>9</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	178-180
1257	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1258	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1259	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1250	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1251	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1252	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1253	i-C <sub>3</sub> H <sub>7</sub>	NPh	4-Cl	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1254	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	4-CH=CF -CH=CH-5	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	189-191

Table 21 (cont'd)

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1255	CH(CH <sub>3</sub> )CH <sub>2</sub> -SCH <sub>3</sub>	NCH <sub>3</sub>	4-CH=CF -CH=CH-5	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	171-173
1256	CH(CH <sub>3</sub> ) -C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1257	CH(CH <sub>3</sub> )CH <sub>2</sub> -SCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1258	CH(CH <sub>3</sub> )CH <sub>2</sub> -SOCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1259	CH(CH <sub>3</sub> )CH <sub>2</sub> -SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1260	CH(CH <sub>3</sub> )CH <sub>2</sub> -SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1261	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> -SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1262	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> -SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1263	CH(CH <sub>3</sub> )CH <sub>2</sub> -NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1264	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> -NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1265	CH(CH <sub>3</sub> ) -C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 22 ( $Z^1 = Z^2 = O$ ,  $R^3 = H$ ,  $Het = Q11$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$R^2$	W	$X_n$	$Y_m$	Physical property m. p. °C
1266	$C_2H_5$	$C_2H_5$	O	H	$2-CH_3-4-CF_2CF_3$	92-93
1267	$C_2H_5$	$C_2H_5$	O	H	$2-CH_3-4-OCF_3$	81-82
1268	$C_2H_5$	$C_2H_5$	S	H	$2-CH_3-4-CF_2CF_3$	160-162
1269	$[2-CH_3-4-CF(CF_3)_2]Ph$	H	$NCH_3$	$4-CH=CF-CH=CH-5$	$2-CH_3-4-CF(CF_3)_2$	256-258

Table 23 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q12$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	W	$X_n$	$Y_m$	Physical property m. p. °C
1270	$i-C_3H_7$	O	H	$2-CH_3-4-CF_3$	170
1271	$i-C_3H_7$	O	H	$4-OCF_3$	
1272	$i-C_3H_7$	O	H	$2-CH_3-4-OCF_2CHF_2$	
1273	$i-C_3H_7$	S	H	$2-CH_3-4-OCH_2CF_2CHF_2$	
1274	$i-C_3H_7$	S	2-Cl	$2-CH_3-4-CF_2CF_3$	
1275	$i-C_3H_7$	S	H	$2-CH_3-4-CF(CF_3)_2$	140-145



Table 23 (cont'd)

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1276	i-C <sub>3</sub> H <sub>7</sub>	S	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	125-130 paste
1277	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> -CF <sub>2</sub> CHF <sub>2</sub>	
1278	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1279	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -5-CF <sub>2</sub> CF <sub>3</sub>	
1280	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -3-CF <sub>2</sub> CF <sub>3</sub>	
1281	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1282	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1283	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1284	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1285	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1286	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1287	i-C <sub>3</sub> H <sub>7</sub>	NPh	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1288	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1289	CH(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1290	CH(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1291	CH(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1292	CH(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1293	CH(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1294	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1295	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10010463-041002

Table 23 (cont'd)

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1296	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1297	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1298	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1299	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1300	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1301	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10010163-011002

Table 24 ( $Z^1 = Z^2 = O$ ,  $R^3 = H$ ,  $Het = Q13$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	$R^2$	W	$X_n$	$Y_m$	Physical property m. p. °C
1302	i-C <sub>3</sub> H <sub>7</sub>	H	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	134
1303	i-C <sub>3</sub> H <sub>7</sub>	H	O	4, 5- (CH <sub>3</sub> ) <sub>2</sub>	4-OCF <sub>3</sub>	
1304	i-C <sub>3</sub> H <sub>7</sub>	H	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1305	i-C <sub>3</sub> H <sub>7</sub>	H	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> -CHF <sub>2</sub>	139-141
1306	i-C <sub>3</sub> H <sub>7</sub>	H	S	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1307	i-C <sub>3</sub> H <sub>7</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1308	i-C <sub>3</sub> H <sub>7</sub>	H	S	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	159-161
1309	i-C <sub>3</sub> H <sub>7</sub>	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1310	i-C <sub>3</sub> H <sub>7</sub>	H	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1311	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	120-122
1312	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1313	C <sub>2</sub> H <sub>5</sub>	C <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1314	i-C <sub>3</sub> H <sub>7</sub>	H	NCH <sub>3</sub>	4-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	153-155
1315	i-C <sub>3</sub> H <sub>7</sub>	H	NPh	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1316	i-C <sub>3</sub> H <sub>7</sub>	H	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1317	i-C <sub>3</sub> H <sub>7</sub>	H	NPh	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1318	i-C <sub>3</sub> H <sub>7</sub>	H	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1319	i-C <sub>3</sub> H <sub>7</sub>	H	NCH <sub>3</sub>	4-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163-041002

Table 24 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1320	i-C <sub>3</sub> H <sub>7</sub>	H	NCH <sub>3</sub>	4-CH=CF -CH=CH-5	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	195-205
1321	CH(CH <sub>3</sub> )CH <sub>2</sub> -SCH <sub>3</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1322	CH(CH <sub>3</sub> )CH <sub>2</sub> -SOCH <sub>3</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

200140-9481001

Table 24 (cont'd)

No	R <sup>1</sup>	R <sup>2</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1323	CH(CH <sub>3</sub> )CH <sub>2</sub> SCCH <sub>3</sub>	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1324	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1325	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1326	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1327	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1328	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1329	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1330	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1331	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1332	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	H	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1333	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	H	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 25 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q14$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1334	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	137-138
1335	i-C <sub>3</sub> H <sub>7</sub>	O	3-CH <sub>3</sub>	4-OCF <sub>3</sub>	
1336	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1337	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1338	i-C <sub>3</sub> H <sub>7</sub>	S	3-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1339	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1340	i-C <sub>3</sub> H <sub>7</sub>	S	3-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1341	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1342	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1343	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1344	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1345	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1346	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	3-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1347	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	3-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1348	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1349	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1350	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1351	i-C <sub>3</sub> H <sub>7</sub>	NPh	3-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1352	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	

Table 25 (cont'd)

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1352	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1353	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1354	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1355	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1356	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1357	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1358	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1359	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1360	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1361	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1362	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1363	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1364	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163-041002

Table 26 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q15$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1365	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	134-136
1366	i-C <sub>3</sub> H <sub>7</sub>	O	5-CH <sub>3</sub>	4-OCF <sub>3</sub>	
1367	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1368	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1369	i-C <sub>3</sub> H <sub>7</sub>	S	5-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1370	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1371	i-C <sub>3</sub> H <sub>7</sub>	S	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1372	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1373	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1374	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1375	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1376	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1377	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1378	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1379	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1380	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1381	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	164-166
1382	i-C <sub>3</sub> H <sub>7</sub>	NPh	5-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1383	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	

10018463 "041002



Table 26 (cont'd)

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1384	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1385	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1386	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1387	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1388	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1389	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1390	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1391	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1392	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1393	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1394	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1395	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1396	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018163-041002

Table 27 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q16$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	W	$X_n$	$Y_m$	Physical property m. p. °C
1397	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	165-175
1398	i-C <sub>3</sub> H <sub>7</sub>	O	5-CH <sub>3</sub>	4-OCF <sub>3</sub>	
1399	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1400	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1401	i-C <sub>3</sub> H <sub>7</sub>	S	5-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1402	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1403	i-C <sub>3</sub> H <sub>7</sub>	S	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1404	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1405	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1406	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1407	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1408	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1409	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1410	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1411	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	167-169
1412	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	5-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1413	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1414	i-C <sub>3</sub> H <sub>7</sub>	NPh	5-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1415	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1416	CH(CH <sub>3</sub> ) -CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

Table 27 (cont'd)

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1417	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1418	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1419	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1420	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1421	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1422	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1422	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1423	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1424	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1425	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1426	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1427	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 28 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $H e t = Q 17$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	W	$X_n$	$Y_m$	Physical property m. p. °C
1428	$i-C_3H_7$	O	H	$2-CH_3-4-CF_3$	171-174
1429	$i-C_3H_7$	O	3- $CH_3$	$4-OCF_3$	
1430	$i-C_3H_7$	O	H	$2-CH_3-4-OCF_2CHF_2$	
1431	$i-C_3H_7$	S	H	$2-CH_3-4-OCH_2CF_2CHF_2$	
1432	$i-C_3H_7$	S	3-Cl	$2-CH_3-4-CF_2CF_3$	
1433	$i-C_3H_7$	S	H	$2-CH_3-4-CF(CF_3)_2$	
1434	$i-C_3H_7$	S	3-I	$2-CH_3-4-CF(CF_3)_2$	
1435	$i-C_3H_7$	S	H	$2-CH_3-4-SO_2CH_2CF_2CHF_2$	
1436	$i-C_3H_7$	S	H	$2-Cl-4-CF(CF_2)_2$	
1437	$i-C_3H_7$	S	H	$2-Cl-4-CF_2CF_3$	
1438	$i-C_3H_7$	S	H	$2-C_2H_5-4-CF(CF_3)_2$	
1439	$i-C_3H_7$	S	H	$2-F-4-CF_2CF_3$	
1440	$i-C_3H_7$	$NCH_3$	3-I	$2-CH_3-4-CF_2CF_3$	
1441	$i-C_3H_7$	$NCH_3$	3-I	$2-CH_3-4-CF(CF_3)_2$	
1442	$i-C_3H_7$	$NCH_3$	H	$2-CH_3-4-CF_2CF_3$	
1443	$i-C_3H_7$	$NCH_3$	3-Br	$2-CH_3-4-CF(CF_3)_2$	
1444	$i-C_3H_7$	NPh	H	$2-CH_3-4-CF_2CF_3$	
1445	$i-C_3H_7$	NPh	3-Br	$2-CH_3-4-CF(CF_3)_2$	
1446	$i-C_3H_7$	NPh	H	$2-Cl-4-CF_2CF_3$	

Table 28 (cont'd)

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1447	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1448	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1449	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1450	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1451	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1452	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1453	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1454	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1455	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1456	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1457	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1458	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1459	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 29 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q18$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1460	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	85-95
1461	i-C <sub>3</sub> H <sub>7</sub>	O	H	4-OCF <sub>3</sub>	
1462	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1463	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1464	i-C <sub>3</sub> H <sub>7</sub>	S	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1465	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1466	i-C <sub>3</sub> H <sub>7</sub>	S	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1467	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1468	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1469	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1470	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1471	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1472	i-C <sub>3</sub> H <sub>7</sub>	NCHF <sub>2</sub>	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1473	i-C <sub>3</sub> H <sub>7</sub>	NCHF <sub>2</sub>	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1474	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1475	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1476	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1477	i-C <sub>3</sub> H <sub>7</sub>	NPh	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1478	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002

Table 29 (cont'd)

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1479	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1480	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1481	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1482	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1483	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1484	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1485	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1486	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1487	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1488	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1489	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1490	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1491	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 30 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q19$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	R <sup>1</sup>	W	Xn	Ym	Physical property m. p. °C
1492	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>3</sub>	70-90
1493	i-C <sub>3</sub> H <sub>7</sub>	O	H	4-OCF <sub>3</sub>	
1494	i-C <sub>3</sub> H <sub>7</sub>	O	H	2-CH <sub>3</sub> -4-OCF <sub>2</sub> CHF <sub>2</sub>	
1495	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-OCH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1496	i-C <sub>3</sub> H <sub>7</sub>	S	2-Cl	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1497	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1498	i-C <sub>3</sub> H <sub>7</sub>	S	2-I	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1499	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-CH <sub>3</sub> -4-SO <sub>2</sub> CH <sub>2</sub> CF <sub>2</sub> CHF <sub>2</sub>	
1500	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF(CF <sub>2</sub> ) <sub>2</sub>	
1501	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	
1502	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-C <sub>2</sub> H <sub>5</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1503	i-C <sub>3</sub> H <sub>7</sub>	S	H	2-F-4-CF <sub>2</sub> CF <sub>3</sub>	
1504	i-C <sub>3</sub> H <sub>7</sub>	NCHF <sub>2</sub>	2-I	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1505	i-C <sub>3</sub> H <sub>7</sub>	NCHF <sub>2</sub>	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1506	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1507	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1508	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1509	i-C <sub>3</sub> H <sub>7</sub>	NPh	2-Br	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1510	i-C <sub>3</sub> H <sub>7</sub>	NPh	H	2-Cl-4-CF <sub>2</sub> CF <sub>3</sub>	

10018463.041002



Table 30 (cont'd)

No	R <sup>1</sup>	W	X <sub>n</sub>	Y <sub>m</sub>	Physical property m. p. °C
1511	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1512	CH(CH <sub>3</sub> )CH <sub>2</sub> SOCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1513	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1514	CH(CH <sub>3</sub> )CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1515	CH(CH <sub>3</sub> )CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1516	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SC <sub>2</sub> H <sub>5</sub>	O	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1517	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SOC <sub>2</sub> H <sub>5</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1518	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1519	CH(CH <sub>3</sub> )CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1520	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1521	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NHAc	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1522	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1523	CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>4</sub> OCH <sub>3</sub>	S	H	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

10018463-041002

Table 31 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  
 $B^1 = B^2 = B^3 = B^4 = C$ )

No	$R^1$	W	Het	Ym	Physical property m. p. °C
1524	i-C <sub>3</sub> H <sub>7</sub>	O	Q20	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1525	i-C <sub>3</sub> H <sub>7</sub>	O	Q20	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1526	i-C <sub>3</sub> H <sub>7</sub>	S	Q20	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1527	i-C <sub>3</sub> H <sub>7</sub>	S	Q20	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1528	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q20	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1529	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q20	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1530	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q20	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1531	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q20	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1532	i-C <sub>3</sub> H <sub>7</sub>	O	Q21	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1533	i-C <sub>3</sub> H <sub>7</sub>	O	Q21	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1534	i-C <sub>3</sub> H <sub>7</sub>	S	Q21	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1535	i-C <sub>3</sub> H <sub>7</sub>	S	Q21	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1536	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q21	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1537	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q21	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1538	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q21	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1539	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q21	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1540	i-C <sub>3</sub> H <sub>7</sub>	O	Q22	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1541	i-C <sub>3</sub> H <sub>7</sub>	O	Q22	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1542	i-C <sub>3</sub> H <sub>7</sub>	S	Q22	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1543	i-C <sub>3</sub> H <sub>7</sub>	S	Q22	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1544	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q22	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002

Table 31 (cont'd)

No	R <sup>1</sup>	W	Het	Ym	Physical property m. p. °C
1545	i-C <sub>3</sub> H <sub>7</sub>	NCH <sub>3</sub>	Q22	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1546	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q22	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1547	i-C <sub>3</sub> H <sub>7</sub>	NPh	Q22	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	

Table 32 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q2$ ,  $p = 0$ ,  
 $B^1 = B^4 = C$ )

No	R <sup>1</sup>	Xn	B <sup>2</sup>	B <sup>3</sup>	Ym	Physical property m. p. °C
1548	i-C <sub>3</sub> H <sub>7</sub>	H	N	C	2-CH <sub>3</sub> -4-OCH(CF <sub>3</sub> ) <sub>2</sub>	259-260
1549	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SCH <sub>3</sub>	H	N	C	2-CH <sub>3</sub> -4-OCH(CF <sub>3</sub> ) <sub>2</sub>	202-203
1550	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> SCH <sub>3</sub>	5-Cl	N	C	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1551	i-C <sub>3</sub> H <sub>7</sub>	H	N	N	2-CH <sub>3</sub> -4-CF(CF <sub>3</sub> ) <sub>2</sub>	
1552	i-C <sub>3</sub> H <sub>7</sub>	5-Cl	C	N	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	
1553	i-C <sub>3</sub> H <sub>7</sub>	5-I	C	N	4-OCH(CF <sub>3</sub> ) <sub>2</sub>	
1554	CH(CH <sub>3</sub> )CH <sub>2</sub> SCH <sub>3</sub>	H	N	N	4-OCHF <sub>2</sub>	
1555	C(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> -SOCH <sub>3</sub>	H	N	C	2-CH <sub>3</sub> -4-OCF <sub>3</sub>	
1556	CH(CH <sub>3</sub> )CH(CH <sub>3</sub> ) -SCH <sub>3</sub>	H	N	C	2-CH <sub>3</sub> -4-CF <sub>2</sub> CF <sub>3</sub>	

10018463-041002

Table 33 ( $Z^1 = Z^2 = O$ ,  $R^2 = R^3 = H$ ,  $Het = Q3$ ,  $p = 0$ ,  
 $B^1 = B^4 = C$ )

No	$R^1$	$X_n$	$B^2$	$B^3$	$Y_m$	Physical property m. p. °C
1557	$i-C_3H_7$	H	N	C	$2-CH_3-4-OCH(CF_3)_2$	
1558	$C(CH_3)_2CH_2SCH_3$	H	N	C	$2-CH_3-4-OCH(CF_3)_2$	
1559	$C(CH_3)_2CH_2SCH_3$	2-Cl	N	C	$2-CH_3-4-CF(CF_3)_2$	
1560	$i-C_3H_7$	H	N	N	$2-CH_3-4-CF(CF_3)_2$	
1561	$i-C_3H_7$	2-Cl	C	N	$2-CH_3-4-CF_2CF_3$	
1562	$i-C_3H_7$	2-I	C	N	$4-OCH(CF_3)_2$	
1563	$CH(CH_3)CH_2SCH_3$	H	N	N	$4-OCHF_2$	
1564	$C(CH_3)_2CH_2$ -SOCH <sub>3</sub>	H	N	C	$2-CH_3-4-OCF_3$	
1565	$CH(CH_3)CH(CH_3)$ -SCH <sub>3</sub>	H	N	C	$2-CH_3-4-CF_2CF_3$	

In the Tables 1 to 33, "Ac" means acetyl group, "Ph" means phenyl group and "c-" means alicyclic hydrocarbon group.

- The agricultural and horticultural insecticides containing the heterocyclic dicarboxylic acid diamide derivative of formula (I) of the present invention as an active ingredient are suitable for
- 5 controlling various insect pests such as agrohorticultural insect pests, stored grain insect pests, sanitary insect pests, nematodes, etc., which are injurious to paddy rice, fruit trees, vegetables, other crops, flowers, ornamental plants, etc. They
  - 10 have a marked insecticidal effect, for example, on LEPIDOPTERA including summer fruit tortrix (Adoxophes orana fasciata), smaller tea tortrix (Adoxophyes sp.), Manchurian fruit moth (Grapholita inopinata), oriental fruit moth (Grapholita molesta), soybean pod border
  - 15 (Leguminovora glycinivorella), mulberry leafroller (Olethreutes mori), tea leafroller (Caloptilia theivora), Caloptilia sp. (Caloptilia zachrysa), apple leafminer (Phyllonorycter ringoniella), pear barkminer (Spulerrina astaurola), common white (Piers rapae
  - 20 crucivora), tobacco budworm (Heliothis sp.), codling moth (Laspeyresia pomonella), diamondback moth (Plutella xylostella), apple fruit moth (Argyresthia conjugella), peach fruit moth (Carposina niponensis), rice stem borer (Chilo suppressalis), rice leafroller
  - 25 (Cnaphalocrocis medinalis), tobacco moth (Ephesia elutella), mulberry pyralid (Glyphodes pyloalis), yellow rice borer (Scirpophaga incertulas), rice skipper (Parnara guttata), rice armyworm (Pseudaletia

- separata), pink borer (Sesamia inferens), common cutworm (Spodoptera litura), beet armyworm (Spodoptera exigua), etc.; HEMIPTERA including aster leafhopper (Macrostelus fascifrons), green rice leafhopper
- 5 (Nephotettix cincticeps), brown rice planthopper (Nilaparvata lugens), whitebacked rice planthopper (Sogatella furcifera), citrus psylla (Diaphorina citri), grape whitefly (Aleurolibus taenabae), sweetpotato whitefly (Bemisia tabaci), greenhouse
- 10 whitefly (Trialeurodes vaporariorum), turnup aphid (Lipaphis erysimi), green peach aphid (Myzus persicae), Indian wax scale (Ceroplastes ceriferus), cottony citrus scale (Pulvinaria aurantii), camphor scale (Pseudaonidia duplex), san Jose scale (Comstockaspis
- 15 perniciosa), arrowhead scale (Unapsis yanonensis), etc.; TYLENCHIDA including soybean beetle (Anomala rufocuprea), Japanese beetle (Popillia japonica), tobacco beetle (Lasioderma serricornis), powderpost beetle (Lyctus brunneus), twenty-eight-spotted ladybird
- 20 (Epilachna vigintiotopunctata), azuki bean weevil (Callosobruchus chinensis), vegetable weevil (Listroderes costirostris), maize weevil (Sitophilus zeamais), boll weevil (Anthonomus grandis grandis), rice water weevil (Lissorhoptrus oryzophilus), cucurbit leaf
- 25 beetle (Aulacophora femoralis), rice leaf beetle (Oulema oryzae), striped flea beetle (Phyllotreta striolata), pine shoot beetle (Tomicus piniperda), Colorado potato beetle (Leptinotarsa decemlineata),

10013453.041002

Mexican bean beetle (Epilachna varivestis), corn rootworm (Diabrotica sp.), etc.; DIPTERA including (Dacus(Zeugodacus) cucurbitae), oriental fruit fly (Dacus(Bactrocera) dorsalis), rice leafminer (Agomyza oryzae), onion maggot (Delia antiqua), seedcorn maggot (Delia platura), soybean pod gall midge (Asphondylia sp.), muscid fly (Musca domestica), house mosquito (Culex pipiens pipiens), etc.; and TYLENCHIDA including coffee root-lesion nematode (Pratylenchus coffeae),

10 potato cyst nematode (Globodera rostochiensis), root-knot nematode (Meloidogyne sp.), citrus nematode (Tylenchulus semipenetrans), Aphelenchus sp. (Aphelenchus avenae), chrysanthemum foliar (Aphelenchoides ritzemabosi), etc.

15           The agricultural and horticultural insecticide containing the heterocyclic dicarboxylic acid diamide derivative represented by formula (I) of the present invention has a marked controlling effect on the above-exemplified insect pests, sanitary pests

20 and/or nematodes, which are injurious to paddy field crops, upland crops, fruit trees, vegetables and other crops, flowers and ornament plants, and the like.

Therefore, the desired effect of the agrohorticultural insecticide of the present invention can be exhibited

25 by applying the insecticide to the paddy field water, stalks and leaves or soil of paddy field, upland field, fruit trees, vegetables, other crops or flowers and ornament plants at a season at which the insect pests,

sanitary pests or nematodes are expected to appear, before their appearance or at the time when their appearance is confirmed.

In general, the agricultural and horticultural insecticide of the present invention is used after being prepared into conveniently usable forms according to ordinary manner for preparation of agrochemicals.

That is, the heterocyclic dicarboxylic acid diamide derivative of formula (I) and an appropriate carrier are blended optionally together with an adjuvant in a proper proportion and prepared into a suitable preparation form such as suspension, emulsifiable concentrate, soluble concentrate, wettable powder, granules, dust or tablets through dissolution, separation, suspension, mixing, impregnation, adsorption or sticking.

The inert carrier used in the present invention may be either solid or liquid. As the solid carrier, soybean flour, cereal flour, wood flour, bark flour, saw dust, powdered tobacco stalks, powdered walnut shells, bran, powdered cellulose, extraction residues of vegetables, powdered synthetic polymers or resins, clay (e.g. kaolin, bentonite and acid clay), talc (e.g. talc and pyrophyllite), silica materials (e.g. diatomaceous earth, siliceous sand, mica, white carbon, i.e. synthetic high-dispersion silicic acid, also called finely divided hydrated silica or hydrated



silicic acid, some of the commercially available products contain calcium silicate as the major component), activated carbon, powdered sulfur, pumice, calcined diatomaceous earth, ground brick, fly ash, sand, calcium carbonate, calcium phosphate and other inorganic or mineral powders, chemical fertilizers such as ammonium sulfate, ammonium phosphate, ammonium nitrate, urea, ammonium chloride and the like, and compost. These carriers may be used either alone or as a mixture of two or more carriers.

The liquid carrier is that which itself has a solubility or which is without such solubility but is capable of dispersing an active ingredient with the aid of an adjuvant. The following are typical examples of the liquid carrier and can be used alone or as a mixture thereof. Water; alcohols such as methanol, ethanol, isopropanol, butanol and ethylene glycol; ketones such as acetone, methyl ethyl ketone, methyl isobutyl ketone, diisobutyl ketone and cyclohexanone; ethers such as ethyl ether, dioxane, cellosolve, dipropyl ether and tetrahydrofuran; aliphatic hydrocarbons such as kerosene and mineral oil; aromatic hydrocarbons such as benzene, toluene, xylene, solvent naphtha and alkylnaphthalene; halogenated hydrocarbons such as dichlorethane, chloroform, carbon tetrachloride and chlorobenzene; esters such as ethyl acetate, diisopropyl phthalate, dibutyl phthalate and dioctyl phthalate; amides such as dimethylformamide,

diethylformamide and dimethylacetamide; nitriles such as acetonitrile; and dimethyl sulfoxide.

The following are typical examples of the adjuvant, which are used depending upon purposes and used alone or in combination of two or more adjuvants in some cases, or need not to be used at all.

To emulsify, disperse, dissolve and/or wet an active ingredient, a surfactant is used. As the surfactant, there can be exemplified polyoxyethylene alkyl ethers, polyoxyethylene alkylaryl ethers, polyoxyethylene higher fatty acid esters, polyoxyethylene resinsates, polyoxyethylene sorbitan monolaurate, polyoxyethylene sorbitan monooleate, alkylarylsulfonates, naphthalene-sulfonic acid condensation products, ligninsulfonates and higher alcohol sulfate esters.

Further, to stabilize the dispersion of an active ingredient, tackify it and/or bind it, there may be used adjuvants such as casein, gelatin, starch, methyl cellulose, carboxymethyl cellulose, gum arabic, polyvinyl alcohols, turpentine, bran oil, bentonite and ligninsulfonates.

To improve the flowability of a solid product, there may be used adjuvants such as waxes, stearates and alkyl phosphates.

Adjuvants such as naphthalenesulfonic acid condensation products and polycondensates of phosphates may be used as a peptizer for dispersible products.

Adjuvants such as silicone oil may also be used as a defoaming agent.

The content of the active ingredient may be varied according to the need. In dusts or granules, the suitable content thereof is from 0.01 to 50% by weight. In emulsifiable concentrate and flowable wettable powder, too, the suitable content is from 0.01 to 50% by weight.

The agricultural and horticultural insecticide of the present invention is used to control a variety of insect pests in the following manner. That is, it is applied to a crop on which the insect pests are expected to appear or a site where appearance of the insect pests is undesirable, as it is or after being properly diluted with or suspended in water or the like, in an amount effective for control of the insect pests.

The applying dosage of the agrihorticultural insecticide of the present invention is varied depending upon various factors such as a purpose, insect pests to be controlled, a growth state of a plant, tendency of insect pests appearance, weather, environmental conditions, a preparation form, an application method, an application site and an application time. It may be properly chosen in a range of 0.1 g to 10 kg (in terms of active ingredient compound) per 10 are depending upon purposes.

The agricultural and horticultural

10018463-041002

insecticide of the present invention may be used in admixture with other agricultural and horticultural disease or pest controllers in order to expand both spectrum of controllable diseases and insect pest species and the period of time when effective applications are possible or to reduce the dosage.

#### EXAMPLES

Typical examples of the present invention are described below, but they should not be construed as limiting the scope of the invention.

##### Example 1

(1-1). Production of N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-3,4-dicarboximide

In 10 ml of THF were dissolved 1.50 g of pyridine-3,4-dicarboxylic acid anhydride and 2.75 g of 4-(heptafluoro-2-propyl)-2-methylaniline, and the reaction was carried out at room temperature for 3 hours. After completion of the reaction, the solvent was distilled off under reduced pressure and 20 ml of trifluoroacetic anhydride was added to the resulting residue, and the reaction was carried out with refluxing for 3 hours. After completion of the reaction, the solvent was distilled off under reduced pressure to obtain crude N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-3,4-dicarboximide quantitatively.

(1-2). Production of 3-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-4-pyridinecarboxylic acid-2-propylamide (compound No. 230) and 4-[4-(heptafluoro-2-propyl)-2-methylphenyl]amino-  
5 carbonyl-3-pyridinecarboxylic acid-2-propylamide (compound No. 512)

In 10 ml of dioxane was dissolved 4.1 g of N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-3,4-dicarboximide, followed by adding thereto 0.8 g of  
10 isopropylamine, and the reaction was carried out at room temperature for 8 hours. After completion of the reaction, the solvent was distilled off under reduced pressure and the resulting residue was purified by a silica gel column chromatography using a 2 : 1 mixed  
15 solvent of hexane and ethyl acetate as an eluent, to obtain 2.1 g of (compound No. 230) and 1.8 g of (compound No. 512) as white crystals.

Physical property:

	compound No. 230	m.p. 234-236°C.	Yield 45%.
20	compound No. 512	m.p. 206-208°C.	Yield 39%.

Example 2

(2-1). Production of 5-bromo-3-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-1-phenyl-4-pyrazolecarboxylic acid 2-propylamide  
25 (compound No. 1382) and 5-bromo-4-[4-(heptafluoro-2-propyl)-2-methylphenyl]-aminocarbonyl-1-phenyl-3-pyrazolecarboxylic

acid 2-propylamide (compound No. 1414)

- In 10 ml of thionyl chloride was dissolved 500 mg of 5-bromo-1-phenyl-3,4-pyrazoledicarboxylic acid, and the reaction was carried out at reflux temperature for 2 hours. After completion of the reaction, the thionyl chloride was distilled off under reduced pressure to obtain a crude acid chloride. This compound was dissolved in 2 ml of THF and the resulting solution was added dropwise at 0°C to a solution prepared by dissolving 420 mg of heptafluoro-2-propyl-2-methylaniline and 410 mg of triethylamine in 10 ml of THF. After completion of the dropwise addition, 470 mg of isopropylamine was added thereto at 0°C and the reaction was carried out at room temperature for 2 hours. After completion of the reaction, the triethylamine hydrochloride was filtered off and the mother liquor was concentrated. The resulting residue was purified by a silica gel column chromatography using ethyl acetate/n-hexane as an eluent, to obtain 360 mg of 5-bromo-3-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-1-phenyl-4-pyrazole-carboxylic acid 2-propylamide (compound No. 1382) and 360 mg of 5-bromo-4-[4-(heptafluoro-2-propyl)-2-methylphenyl]-aminocarbonyl-1-phenyl-3-pyrazole-carboxylic acid 2-propylamide (compound No. 1414) as white crystals.

Physical property:

compound No. 1381 m.p. 164-166°C. Yield 36%.

compound No. 1412 m.p. 167-169°C. Yield 36%.

Example 3

(3-1). Production of 2-chloro-4-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-3-pyridinecarboxylic acid

In 20 ml of anhydrous THF was dissolved 2.78 g of diisopropylamine, and 18 ml of a solution of n-butyllithium in hexane (1.53 M) was added dropwise thereto at -78°C under an argon atmosphere. The resulting mixture was stirred at -78°C for 1 hour, and then a solution of 5.17 g of 2-chloro-4-pyridinecarboxylic acid 4-(heptafluoro-2-propyl)-2-methylanilide in 100 ml of THF was added dropwise thereto at -78°C. After completion of the dropwise addition, the stirring was continued at -78°C for 2 hours and carbon dioxide gas was bubbled thereinto for 1 hour. Then, the resulting mixture was warmed to room temperature and 200 ml of 1N hydrochloric acid was added thereto, followed by extraction with ethyl acetate. The organic layer was dried over anhydrous magnesium sulfate and then distilled under reduced pressure to remove the solvent, whereby 4.70 g (yield: 82%) of the crude desired compound was obtained as an amorphous solid. This compound was used in a subsequent reaction without purification.

(3-2). Production of 2-chloro-4-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-3-pyridinecarboxylic acid 2-propylamide (compound No. 524)

5 In 10 ml of t-butyl methyl ether was dissolved 500 mg of 2-chloro-4-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-3-pyridine-  
10 carboxylic acid, followed by adding thereto 340 mg of trifluoroacetic anhydride, and the resulting mixture was stirred at room temperature for 2 hours. After the disappearance of the starting material was confirmed by TLC, 330 mg of isopropylamine was added to the mixture, followed by stirring at room temperature for another 2  
15 hours. After completion of the reaction, ethyl acetate was added and the reaction solution was washed successively with water, a saturated aqueous sodium hydrogencarbonate solution and a saturated aqueous sodium chloride solution, and dried over anhydrous magnesium sulfate. The solvent was distilled off under  
20 reduced pressure and the resulting residue was purified by a silica gel column chromatography using ethyl acetate/n-hexane as an eluent, to obtain 460 mg of the desired compound as white crystals.

Physical property: m.p. 275-277°C. Yield 84%.

25 Example 4

(4-1). Production of N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-2,3-dicarboximide-1-oxide



In 25 ml of chloroform was dissolved 3.1 g of N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-2,3-dicarboximide, and 5.0 g of m-chloroperbenzoic acid was added thereto at room temperature. After the resulting mixture was stirred at room temperature for 3 hours, a saturated aqueous sodium hydrogencarbonate solution was added to the reaction solution, followed by extraction with ethyl acetate. The organic layer was washed successively with water, a saturated aqueous sodium hydrogencarbonate solution and a saturated aqueous sodium chloride solution, and dried over anhydrous magnesium sulfate. The solvent was distilled off under reduced pressure and the resulting residue was purified by a silica gel column chromatography using ethyl acetate/n-hexane as an eluent, to obtain 820 mg (yield: 84%) of the desired compound.

(4-2). Production of 3-[4-(heptafluoro-2-propyl)-2-methylphenyl]aminocarbonyl-2-(2-propyl)amino-carbonylpyridine-N-oxide (compound No. 804)

In 10 ml of THF was dissolved 400 mg of N-[4-(heptafluoro-2-propyl)-2-methylphenyl]pyridine-2,3-dicarboximide-1-oxide, followed by adding thereto 200 mg of isopropylamine, and the resulting mixture was stirred at room temperature for 5 hours. After completion of the reaction, the solvent was distilled off under reduced pressure and the resulting residue was purified by a silica gel column chromatography

using ethyl acetate/n-hexane as an eluent, to obtain 290 mg of the desired compound as white crystals.

Physical property: m.p. 108-110°C. Yield 63%.

#### Typical formulation examples and test

- 5 examples of the present invention are described below but they should not be construed as limiting the scope of the invention.

In the formulation examples, parts are all by weight.

#### 10 Formulation Example 1

Each compound listed in Tables 50 parts

1 to 33

Xylene 40 parts

Mixture of polyoxyethylene 10 parts

- 15 nonylphenyl ether and calcium  
alkylbenzenesulfonate

An emulsifiable concentrate was prepared by mixing uniformly the above ingredients to effect dissolution.

#### 20 Formulation Example 2

Each compound listed in Tables 3 parts

1 to 33

Clay powder 82 parts

Diatomaceous earth powder 15 parts

- 25 A dust was prepared by mixing uniformly and

10010453-041002

grinding the above ingredients.

#### Formulation Example 3

	Each compound listed in Tables	5 parts
	1 to 33	
5	Mixed powder of bentonite and clay	90 parts
	Calcium lignin sulfonate	5 parts

Granules were prepared by mixing the above ingredients uniformly, and kneading the resulting mixture together with a suitable amount of water, followed by granulation and drying.

#### Formulation Example 4

	Each compound listed in Tables	20 parts
	1 to 33	
	Kaolin and synthetic high-	75 parts
15	dispersion silicic acid	
	Mixture of polyoxyethylene	5 parts
	nonylphenyl ether and calcium	
	alkylbenzenesulfonate	

A wettable powder was prepared by mixing uniformly and grinding the above ingredients.

#### Test Example 1

Insecticidal effect on diamondback moth (*Plutella xylostella*)

Adult diamondback moths were released and allowed to oviposit on a Chinese cabbage seedling. Two

16018463-041002

days after the release, the seedling having eggs deposited thereon was immersed for about 30 seconds in a liquid chemical prepared by diluting a preparation containing each of the compounds listed in Tables 1 to 5 33 as an active ingredient to adjust the concentration to 500 ppm. After air-drying, the seedling was allowed to stand in a room thermostated at 25°C. Six days after the immersion in the liquid chemical, the hatched insects were counted and the mortality was calculated 10 according to the following equation. The test was carried out with three replications of 10 insects.

$$\text{Corrected mortality (\%)} = \frac{\left[ \begin{array}{c} \text{Number of} \\ \text{hatched insects} \\ \text{in untreated} \\ \text{group} \end{array} \right] - \left[ \begin{array}{c} \text{Number of} \\ \text{hatched insects} \\ \text{in treated} \\ \text{group} \end{array} \right]}{\left[ \begin{array}{c} \text{Number of} \\ \text{hatched insects} \\ \text{in untreated} \\ \text{group} \end{array} \right]} \times 100$$

As a result, the following compounds were found to have a corrected mortality of 90% or more: compound Nos. 13, 18, 32, 54, 55, 57, 127, 136, 230, 15 242, 258, 464, 484, 512, 524, 737, 785, 794, 795, 804, 805, 821, 989, 990, 1009, 1095, 1110, 1127, 1158, 1189, 1204, 1220, 1221, 1247, 1249, 1251, 1255, 1267, 1269, 1271, 1275, 1303, 1306, 1313, 1320, 1414, 1429, 1473, 1505, 1548 and 1540.

## Test Example 2

Insecticidal effect on smaller tea tortrix  
(Adoxophyes sp.)

A tea leaf was immersed for about 30 seconds  
in a liquid chemical prepared by diluting a preparation  
containing each of the compounds listed in Tables 1 to  
33 as an active ingredient to adjust the concentration  
to 500 ppm. After air-drying, the leaf was placed in a  
plastic Petri dish with a diameter of 9 cm and  
inoculated with larvae of smaller tea tortrix, and the  
Petri dish was allowed to stand in a room thermostated  
at 25°C and having a humidity of 70%. Eight days after  
the inoculation, the dead and alive were counted and  
the mortality was calculated according to the following  
equation. The test was carried out with three  
replications of 10 insects.

$$\text{Corrected mortality (\%)} = \frac{\left[ \begin{array}{c} \text{Number of sur-} \\ \text{viving insects} \\ \text{in untreated} \\ \text{group} \end{array} \right] - \left[ \begin{array}{c} \text{Number of sur-} \\ \text{viving insects} \\ \text{in treated} \\ \text{group} \end{array} \right]}{\left[ \begin{array}{c} \text{Number of sur-} \\ \text{viving insects} \\ \text{in untreated} \\ \text{group} \end{array} \right]} \times 100$$

As a result, the following compounds were  
found to have a corrected mortality of 90% or more:  
compound Nos. 13, 18, 55, 57, 127, 136, 230, 464, 484,  
512, 524, 737, 794, 795, 805, 821, 989, 1009, 1048,  
1095, 1127, 1189, 1204, 1220, 1247, 1249, 1251, 1255,


1303, 1313, 1473, 1505, 1548 and 1549.

As described above, the agricultural and horticultural insecticides containing the heterocyclic dicarboxylic acid diamide derivative of the general  
5 formula (I) of the present invention as an active ingredient have an excellent controlling effect on insect pests such as diamondback moth, common cutworm, etc.

20180627 04:1002

## CLAIMS

1. A heterocyclic dicarboxylic acid diamide derivative represented by the general formula (I):



{wherein  $R^1$ ,  $R^2$  and  $R^3$ , which may be the same or different, are hydrogen atoms,  $(C_3-C_6)$ cycloalkyl groups, halo $(C_3-C_6)$ cycloalkyl groups or  $-A^1-(R^4)_r$  (wherein  $A^1$  is a  $(C_1-C_6)$ alkylene group, a  $(C_3-C_6)$ alkenylene group or a  $(C_3-C_6)$ alkynylene group,  $R^4$ , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups; halo $(C_1-C_6)$ alkyl groups;  $(C_3-C_6)$ cycloalkyl groups; halo $(C_3-C_6)$ cycloalkyl groups;  $(C_1-C_6)$ alkoxycarbonyl groups; di $(C_1-C_6)$ alkoxyphosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; di $(C_1-C_6)$ alkoxythiophosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; diphenylphosphino groups; diphenylphosphono groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups,

halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>2</sup>-R<sup>5</sup> (wherein A<sup>2</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>6</sup>)- (wherein R<sup>6</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-



$C_6$ )alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups, ( $C_1-C_6$ )alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups; a ( $C_1-C_6$ )alkylsulfonyl group; or a halo( $C_1-C_6$ )alkylsulfonyl group),  $-C(=O)-$  or  $-C(=NOR^7)-$  (wherein  $R^7$  is a hydrogen atom; a ( $C_1-C_6$ )alkyl group; a halo( $C_1-C_6$ )alkyl group; a ( $C_3-C_6$ )alkenyl group; a halo( $C_3-C_6$ )alkenyl group; a ( $C_3-C_6$ )alkynyl group; a cyclo( $C_3-C_6$ )alkyl group; a phenyl( $C_1-C_4$ )alkyl group; or a substituted phenyl( $C_1-C_4$ )alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1-C_6$ )alkyl groups, halo( $C_1-C_6$ )alkyl groups, ( $C_1-C_6$ )alkoxy groups, halo( $C_1-C_6$ )alkoxy groups, ( $C_1-C_6$ )alkylthio groups, halo( $C_1-C_6$ )alkylthio groups, ( $C_1-C_6$ )alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups, ( $C_1-C_6$ )alkylsulfonyl groups and halo( $C_1-C_6$ )alkylsulfonyl groups), and  $R^5$  is a hydrogen atom; a ( $C_1-C_6$ )alkyl group; a halo( $C_1-C_6$ )alkyl group; a ( $C_3-C_6$ )alkenyl group; a halo( $C_3-C_6$ )alkenyl group; a ( $C_3-C_6$ )alkynyl group; a halo( $C_3-C_6$ )alkynyl group; a ( $C_3-C_6$ )cycloalkyl group; a halo( $C_3-C_6$ )cycloalkyl group; a ( $C_1-C_6$ )alkoxy( $C_1-C_6$ )alkyl group; a ( $C_1-C_6$ )alkylthio( $C_1-C_6$ )alkyl group; a formyl group; a ( $C_1-C_6$ )alkylcarbonyl group; a halo( $C_1-C_6$ )alkylcarbonyl group; a ( $C_1-C_6$ )alkoxycarbonyl group; a mono( $C_1-C_6$ )alkylaminocarbonyl group; a di( $C_1-C_6$ )alkylaminocarbonyl group whose ( $C_1-C_6$ )alkyl groups may be the same or different; a mono( $C_1-C_6$ )alkylaminothiocarbonyl group; a di( $C_1-C_6$ )alkylaminothiocarbonyl group

whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a di(C<sub>1</sub>-C<sub>6</sub>)alkoxyphosphoryl group whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; a di(C<sub>1</sub>-C<sub>6</sub>)-alkoxythiophosphoryl group whose (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a substituted phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl

2004H-014002







groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and r is an integer of 1 to 4),

provided that R<sup>1</sup> and R<sup>2</sup> are not hydrogen atoms at the same time,

R<sup>1</sup> and R<sup>2</sup> may form a 4 to 7 membered ring by combining to each other, in which the ring may contain the same or different 1 to 3 hetero atoms selected from the group consisting of oxygen atom, sulfur atom and nitrogen atom,

Het is a heterocyclic group represented by any of the following formulas Q1 to Q22:

2004-03-04 10:02



(wherein X, which may be the same or different, are halogen atoms; cyano groups; nitro groups; (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl groups; halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl groups; tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl groups whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> [wherein A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>6</sup>)- (wherein R<sup>6</sup> is as defined above), -C(=O)-, -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), a (C<sub>1</sub>-C<sub>6</sub>)-alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>8</sup> is as follows:

(1) when A<sup>3</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -N(R<sup>6</sup>)- (wherein

$R^6$  is as defined above), then  $R^8$  is a halo( $C_3$ - $C_6$ )cycloalkyl group; a halo( $C_3$ - $C_6$ )cycloalkenyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy groups, halo( $C_1$ - $C_6$ )alkoxy groups, ( $C_1$ - $C_6$ )alkylthio groups, halo( $C_1$ - $C_6$ )alkylthio groups, ( $C_1$ - $C_6$ )alkylsulfinyl groups, halo( $C_1$ - $C_6$ )alkylsulfinyl groups, ( $C_1$ - $C_6$ )alkylsulfonyl groups and halo( $C_1$ - $C_6$ )alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy groups, halo( $C_1$ - $C_6$ )alkoxy groups, ( $C_1$ - $C_6$ )alkylthio groups, halo( $C_1$ - $C_6$ )alkylthio groups, ( $C_1$ - $C_6$ )alkylsulfinyl groups, halo( $C_1$ - $C_6$ )alkylsulfinyl groups, ( $C_1$ - $C_6$ )alkylsulfonyl groups and halo( $C_1$ - $C_6$ )alkylsulfonyl groups; or  $-A^4-R^9$  (wherein  $A^4$  is a ( $C_1$ - $C_6$ )alkylene group, a halo( $C_1$ - $C_6$ )alkylene group, a ( $C_3$ - $C_6$ )alkenylene group, a halo( $C_3$ - $C_6$ )alkenylene group, a ( $C_3$ - $C_6$ )alkynylene group or a halo( $C_3$ - $C_6$ )alkynylene group, and  $R^9$  is a hydrogen atom; a halogen atom; a ( $C_3$ - $C_6$ )cycloalkyl group; a halo( $C_3$ - $C_6$ )cycloalkyl group; a ( $C_1$ - $C_6$ )alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, ( $C_1$ - $C_6$ )alkyl groups, halo( $C_1$ - $C_6$ )alkyl groups, ( $C_1$ - $C_6$ )alkoxy groups,

halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>5</sup>-R<sup>10</sup> (wherein A<sup>5</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -C(=O), and R<sup>10</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)),

(2) when A<sup>3</sup> is -C(=O)- or -C(=NOR<sup>7</sup>)- (wherein R<sup>7</sup> is as defined above), then R<sup>8</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)-

cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylamino group; a substituted phenylamino group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and



(3) when A<sup>3</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, then R<sup>6</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>6</sup>-R<sup>11</sup> (wherein A<sup>6</sup> is -O-, -S-, -SO- or -SO<sub>2</sub>-, and R<sup>11</sup> is a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen

atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>7</sup>-R<sup>12</sup> (wherein A<sup>7</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>12</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio

groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenoxy group; a substituted phenoxy group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenylthio group; a substituted phenylthio group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups)), and n is an integer of 0 to 3,

X may form a condensed ring by combining together with the adjacent atoms in the heterocyclic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups,

W is O, S or N-R<sup>13</sup> (wherein R<sup>13</sup> is a (C<sub>1</sub>-C<sub>6</sub>)-alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl

100-38463-041002

group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>6</sub>)alkyl group having on the ring one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and p and q, which may be the same or different, are integers of 0 to 1),

B<sup>1</sup>, B<sup>2</sup>, B<sup>3</sup> and B<sup>4</sup>, which may be the same or different, are carbon atoms or nitrogen atoms,

Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; halo(C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)-

alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; heterocyclic groups; substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>3</sup>-R<sup>8</sup> (wherein A<sup>3</sup> and R<sup>8</sup> are as defined above), and m is an integer of 1 to 5,

Y may form a condensed ring by combining together with the adjacent carbon atoms in the aromatic ring, and said condensed ring may have one or more substituents, which may be the same or different, and are selected from halogen atoms; (C<sub>1</sub>-C<sub>6</sub>)alkyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups; (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups; (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; phenyl group; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-

$C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; heterocyclic groups; and substituted heterocyclic groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups, and each of  $Z^1$  and  $Z^2$  is an oxygen atom or a sulfur atom,

provided that:

- (1) when Het is Q2, Q6, Q7 or Q9 and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon atoms at the same time, then  $Y_m$  is other than 3-chloro-2-methyl group, 3-chloro-2,6-diethyl group, 5-chloro-2-methyl group, 2,6-diethyl group, 4-chloro-2-fluoro group and 2-ethyl-6-methyl group,
- (2) when Het is Q4 and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon atoms at the same time, then  $Y_m$  is other than 2,5-dichloro group, 2,4-difluoro group, 2,6-difluoro group, 3-chloro-2-methyl group, 5-chloro-2-methyl group, 5-fluoro-2-methyl group, 2,6-dimethyl group, 2,6-diethyl group, 2-ethyl-6-methyl group, 2-methoxy-5-nitro group, 2-methoxy-5-methyl group, 2,6-diethoxy group, 3-bromo-2-methyl group, 3-fluoro-2-methyl group, 3-iodo-2-methyl group, 3-cyano-2-methyl group, 3-difluoro-

methoxy-2-methyl group, 5-chloro-2-ethyl group, 2,5-dimethyl group, 2,3-dichloro group, 3-chloro-2,6-diethyl group, 4-trifluoromethyl group, 3-methoxycarbonyl-2-methyl group, 3-trifluoromethyl-2-methyl group, 3,5-dichloro-2,6-diethyl group, 3,4-dichloro group, 3-(methoxycarbonylmethoxy)-2-methyl group, 2-methyl-3-nitro group and 4-trifluoromethoxy group,

(3) when Het is Q9,  $R^2$  and  $R^3$  are hydrogen atoms at the same time,  $X_n$  is a 2-phenyl group,  $R^1$  is a n-propyl group or an i-propyl group and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon atoms at the same time, then  $Y_m$  is other than 4-pentafluoroethyl-2-methyl group, and

(4) when Het is Q10 and  $B^1$ ,  $B^2$ ,  $B^3$  and  $B^4$  are carbon atoms at the same time, then  $Y_m$  is other than 5-chloro-2-methyl group, 5-fluoro-2-methyl group and 2,5-dimethyl group).

2. A heterocyclic dicarboxylic acid diamide derivative according to claim 1, wherein Het is Q1, Q2, Q3 or Q4,  $R^1$  is a  $(C_3-C_6)$ cycloalkyl group, a halo $(C_3-C_6)$ cycloalkyl group or  $-A^1-(R^4)_r$  (wherein  $A^1$  is a  $(C_1-C_8)$ -alkylene group,  $R^4$ , which may be the same or different, are hydrogen atoms; halogen atoms; cyano groups; nitro groups;  $(C_1-C_6)$ alkoxycarbonyl groups; di $(C_1-C_6)$ alkoxyphosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; di $(C_1-C_6)$ alkoxythiophosphoryl groups whose  $(C_1-C_6)$ alkoxy groups may be the same or different; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different



and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; pyridyl groups; substituted pyridyl groups having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; or  $-A^2-R^5$  (wherein  $A^2$  is  $-O-$ ,  $-S-$ ,  $-SO-$ ,  $-SO_2-$ ,  $-N(R^6)-$  (wherein  $R^6$  is a hydrogen atom, a  $(C_1-C_6)$ alkylcarbonyl group, a halo $(C_1-C_6)$ alkylcarbonyl group or a  $(C_1-C_6)$ alkoxycarbonyl group), or  $-C(=NOR^7)-$  (wherein  $R^7$  is a hydrogen atom, a  $(C_1-C_6)$ alkyl group or a halo $(C_1-C_6)$ alkyl group), and  $R^5$  is a hydrogen atom; a  $(C_1-C_6)$ alkyl group; a halo $(C_1-C_6)$ alkyl group; a  $(C_1-C_6)$ cycloalkyl group; a halo $(C_1-C_6)$ cycloalkyl group; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkyl-

sulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a pyridyl group; or a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups), and r is an integer of 1 to 4), R<sup>2</sup> and R<sup>3</sup>, which may be the same or different, are hydrogen atoms or (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, X and Y, which may be the same or different, are halogen atoms; cyano groups; nitro groups; phenyl groups; substituted phenyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; pyridyl groups; substituted pyridyl groups having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups.

(1) when  $A^3$  is  $-O-$ ,  $-S-$ ,  $-SO-$  or  $-SO_2-$ , then  $R^8$  is a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; a pyridyl group; a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo $(C_1-C_6)$ alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo $(C_1-C_6)$ alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo $(C_1-C_6)$ alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo $(C_1-C_6)$ alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups and halo $(C_1-C_6)$ alkylsulfonyl groups; or  $-A^4-R^9$  (wherein  $A^4$  is a  $(C_1-C_6)$ alkylene group, a halo $(C_1-C_6)$ -alkylene group, a  $(C_3-C_6)$ alkenylene group, a halo $(C_3-C_6)$ alkenylene group, a  $(C_3-C_6)$ alkynylene group or a halo $(C_3-C_6)$ alkynylene group, and  $R^9$  is a hydrogen atom, a halogen atom or  $-A^5-R^{10}$  (wherein  $A^5$  is  $-O-$ ,  $-S-$ ,  $-SO-$  or

-SO<sub>2</sub>-, and R<sup>10</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group, a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group, a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group, a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group or a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group)), and

(2) when A<sup>3</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, then R<sup>8</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a tri(C<sub>1</sub>-C<sub>6</sub>)alkylsilyl group whose (C<sub>1</sub>-C<sub>6</sub>)alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a pyridyl group; a substituted pyridyl group having one or more substituents which may be the same or different and are selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; or -A<sup>6</sup>-R<sup>11</sup> (wherein A<sup>6</sup> is -O-, -S-, -SO- or -SO<sub>2</sub>-, and R<sup>11</sup> is -A<sup>7</sup>-R<sup>12</sup>

(wherein A<sup>7</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)-alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)-alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>12</sup> is a hydrogen atom, a halogen atom, a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group, a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group, a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group, a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group or a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group)), both B<sup>1</sup> and B<sup>4</sup> are carbon atoms, B<sup>2</sup> and B<sup>3</sup>, which may be the same or different, are carbon atoms or nitrogen atoms, and each of Z<sup>1</sup> and Z<sup>2</sup> is an oxygen atom.

3. A heterocyclic dicarboxylic acid diamide derivative according to claim 2, wherein X, which may be the same or different, are halogen atoms, nitro groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups or halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, and n is an integer of 0 to 3.

4. A heterocyclic dicarboxylic acid diamide derivative according to claim 3, wherein Y, which may be the same or different, are halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkoxyhalo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkoxyhalo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups or halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, and m is an integer of 1 to 5.

5. A heterocyclic dicarboxylic acid diamide derivative according to claim 4, wherein  $R^1$  is a  $(C_1-C_6)$ alkyl group, a  $(C_1-C_6)$ alkoxy $(C_1-C_6)$ alkyl group, a  $(C_1-C_6)$ alkylthio $(C_1-C_6)$ -alkyl group, a  $(C_1-C_6)$ alkylsulfinyl $(C_1-C_6)$ alkyl group or a  $(C_1-C_6)$ alkylsulfonyl $(C_1-C_6)$ alkyl group, and  $R^2$  and  $R^3$ , which may be the same or different, are hydrogen atoms or methyl groups.


6. An agricultural and horticultural insecticide characterized by containing a heterocyclic dicarboxylic acid diamide derivative according to any one of claims 1 to 5 as an active ingredient.

7. A method for applying an agricultural and horticultural insecticide, characterized by treating a crop to be protected or soil with an effective amount of an agricultural and horticultural insecticide according to claim 6 in order to protect useful crops against insect pests.

10016163-041002

## ABSTRACT

Heterocyclic dicarboxylic acid diamide derivative represented by the general formula (I):



wherein  $R^1$ ,  $R^2$  and  $R^3$  represent each H, optionally halogenated  $C_{3-6}$  cycloalkyl, etc.; Het represents a 5- or 6-membered heterocycle; X and Y represent each halocyano, nitro, optionally halogenated  $C_{3-6}$  cycloalkyl, optionally substituted phenyl, an optionally substituted heterocycle, etc; n is from 0 to 3; m is from 1 to 5;  $Z^1$  and  $Z^2$  represent each O or S; and  $B^1$  to  $B^4$  represent each C or N. Agricultural/horticultural insecticides having an excellent controlling effect on pest insects such as diamond-back moth (*Plutella xylostella*) and tobacco cutworm (*Spodoptera litura*).

#8

RULE 63 (37 C.F.R. 1.63)

DECLARATION AND POWER OF ATTORNEY FOR UTILITY OR DESIGN PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

[ ] Declaration Submitted with Initial Filing or [ ] Declaration Submitted after Initial Filing (surcharge 37 C.F.R. 1.16 (e) required)

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the **INVENTION ENTITLED**

"HETEROCYCLIC DICARBOXYLIC ACID DIAMIDE DERIVATIVES, AGRICULTURAL AND HORTICULTURAL INSECTICIDES AND METHOD OF USING THE SAME"

the specification of which is:

[X] ~~attached hereto~~ was filed on December 19, 2001, as U.S. Serial No. 10/018,463

OR

[X] was filed on (MM/DD/YYYY) June 23, 2000 As United States Application Number (Attorney Docket No. \_\_\_\_\_) or PCT International Application No. PCT/JP00/04136 and was amended on \_\_\_\_\_ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 including for continuation-in-part application, material information which becomes available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim priority benefits under 35 U.S.C. 119(a) -(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international Application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application of which priority is claimed.

PRIOR FOREIGN APPLICATION(S)

Priority Not Claimed

Certified Copy Attached?

Number Country Foreign Filing Date (MM/DD/YYYY)  
1, 179035 Japan June 24, 1999

[ ] Yes [ ] No

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional Application(s) listed below.

PRIOR U.S. PROVISIONAL(S)

Filing Date (MM/DD/YYYY)

Application No. (series code/serial no.)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the registered practitioners represented by **Customer No.: 20736** to prosecute this application and transact all business in the U.S. Patent and Trademark Office in connection therewith. Direct all correspondence to **Manelli Denison & Selter PLLC at Customer No.: 20736**.

1. INVENTOR'S SIGNATURE:

Date

Inventor's Name (typed) Takeshi KATSUHIRA February 25, 2002  
Japan

First Middle Initial Family Name Country of Citizenship

Residence (City) Kawachinagano-shi, Japan

Post Office Address (Include Zip Code) 765-4-301, Mukainocho, Kawachinagano-shi, Osaka 586-0013, Japan. JPX

2. INVENTOR'S SIGNATURE:

Date

Inventor's Name (typed) Takashi FURUYA February 25, 2002  
Japan

First Middle Initial Family Name Country of Citizenship

Residence (City) Izumisan-shi, Japan

Post Office Address (Include Zip Code) 2821-1, Hineno, Izumisano-shi, Osaka 598-0021, Japan. JPX

[X] Additional Inventors are being named on the \_ supplemental additional inventor sheet(s) attached hereto.

MDS Jan 2001



85288-05 (8)

3-00

3. INVENTOR'S SIGNATURE: Makoto Gotoh Date February 25, 2002  
Inventor's Name (typed) Makoto GOTOH Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Sakai-shi, Japan  
Post Office Address (Include Zip Code) 77-1-409, Nakachaya, Sakai-shi, Osaka 599-8128, Japan. JPX

4-00

4. INVENTOR'S SIGNATURE: Masanori Tohnishi Date February 25, 2002  
Inventor's Name (typed) Masanori TOHNISHI Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Sakai-shi, Japan  
Post Office Address (Include Zip Code) 296-1-201, Kitanoda, Sakai-shi, Osaka 599-8123, Japan. JPX

5-00

5. INVENTOR'S SIGNATURE: Hideo Takaishi Date February 25, 2002  
Inventor's Name (typed) Hideo TAKAISHI Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Nishinomiya-shi, Japan  
Post Office Address (Include Zip Code) 1-15-4, Komatsuminamimachi, Nishinomiya-shi, Hyogo 663-8124, Japan. JPX

6-00

6. INVENTOR'S SIGNATURE: Kazuyuki Sakata Date February 25, 2002  
Inventor's Name (typed) Kazuyuki SAKATA Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Kawachinagano-shi, Japan  
Post Office Address (Include Zip Code) 5-6-301, Hondacho, Kawachinagano-shi, Osaka 586-0022, Japan. JPX

7-00

7. INVENTOR'S SIGNATURE: Masayuki Morimoto Date February 25, 2002  
Inventor's Name (typed) Masayuki MORIMOTO Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Kawachinagano-shi, Japan  
Post Office Address (Include Zip Code) 1-28-305, Nishinoyamacho, Kawachinagano-shi, Osaka 586-0024, Japan. JPX

8-00

8. INVENTOR'S SIGNATURE: Akira Seo Date February 25, 2002  
Inventor's Name (typed) Akira SEO Japan  
First Middle-Initial Family Name Country of Citizenship  
Residence (City) Hashimoto-shi, Japan  
Post Office Address (Include Zip Code) 3-19, Kimigaoka 2-chome, Hashimoto-shi, Wakayama 648-0092, Japan. JPX

9. INVENTOR'S SIGNATURE: \_\_\_\_\_ Date \_\_\_\_\_  
Inventor's Name (typed) \_\_\_\_\_  
First \_\_\_\_\_ Middle-Initial \_\_\_\_\_ Family Name \_\_\_\_\_ Country of Citizenship \_\_\_\_\_  
Residence (City) \_\_\_\_\_  
Post Office Address (Include Zip Code) \_\_\_\_\_